TIMSCO

PRODUCTS AND SERVICES GUIDE

SAFETY

TIMSCO INTERNATIONAL, L.P.

To request a quote or to place an order, please call

214-544-6790

Gas Equipment

Welding & Cutting Equipment

Welding Support

Filler Metals

MRO Supplies

Safety

Index

Table of Contents

Gas Equipment	1-27
Cutting and Welding Outfits	2-5
Torch Kits	6-7
Regulators	8-10
Pressure Gauges	11
Flowgauges, Flowmeters and Kits	12-13
Torches, Handles and Cutting Attachments	14-15
Cutting Tips	16-17
Welding and Brazing Tips	18
Heating Nozzles and Tips	19
Welding Hose, Adapters and Fittings	20-24
Flashback Arrestors and Quick Connects	25
Gas Equipment Accessories	26
Propylene Solutions Information	27

Welding & Cutting Equipment.	28-31
Machines and Accessories	28-29
Plasma Torches and Consumables	30-31

Welding Support	32-66
MIG Guns, Parts and Consumables	32-41
Tungsten Electrodes, Totes and Grinders	42-44
TIG Torches, Parts and Consumables	45-51
Carbon Arc Gouging Torches & Electrodes	52-53
Manual Accessories	54-56
Welding Cable and Accessories	57
Welding Chemicals	58-59
Soapstone, Pocket Scribes, Markers and Paint Pens	60-61
Welding Tools	62-66

Filler Metals	67-83
Stick Electrodes (SMAW)	68-72
TIG Rods (GTAW)	73-74
MIG Wire (GMAW)	75-77, 79
Technical Information	78
Tubular Flux Cored Welding Wire (FCAW)	80-83

MRO Supplies	84-107
Cut-Off Machines and Wheels	84
Saw Blades and Drill Bits	85
Cutting Equipment and Blades	86
Hole Saws and Pilot Drills	87
Mag Drills and Accessories	88-89
Angle Grinders	90-91
Power Cords	92
Depressed Center Wheels	93,96
Cut-Off Wheels	94-95
Fibre Discs	97
Coated Abrasives	98
Flap Discs	99-101
Power Brushes	102-103
Hand Brushes	104
Hand Tools	105-107

Safety	108-151
Eyewear and Lens Cleaning Products	108
Head Protection	109
Welding Goggles, Helmets and Accessories	110-113
Faceshields and Headgear	114-115
Hearing Protection	116-117
Respiratory Protection	118-121
Instrumentation	122-123
Fall Protection	124-127
Hand Protection	128-136
Knee Pads and Supports	137
Disposable Clothing	138
Leather Clothing	139
FR/Arc Flash Clothing	140-141
High Visibility Vests	142
Welding Caps, Bandanas and Sweatbands	143
Protective Workwear	144
First Aid Kits and Products	145-146
Skin Care Products	147
Eyewash Products	148
Facility Supplies	149-151

Product Index	152-154
MFG Index	155

Eyewear and Lens Cleaning Products

RAD64051513 RAD64051515 RAD64051517 RAD64051518 RAD64051525

Radnor® Premier Series Eyewear

- Sporty, lightweight wraparound dual lens
- Integrated sideshields
- Floating nose pads
- Soft temple grips

Part Number	Lens Description	Frame
RAD64051511	Clear	Glossy Black
RAD64051512	Clear, Anti-Fog	Glossy Black
RAD64051513	Indoor/Outdoor, Clear	Glossy Black
RAD64051514	Gray	Glossy Black
RAD64051515	Smoke Mirror	Glossy Black
RAD64051517	Amber	Glossy Black
RAD64051518	Light Blue	Glossy Black
RAD64051525	3.0 IR	Glossy Black
RAD64051526	5.0 IR	Glossy Black
RAD64051535	1.5 Diopter	Glossy Black
RAD64051536	2.0 Diopter	Glossy Black
RAD64051537	2.5 Diopter	Glossy Black

RAD64051222 RAD64051224 RAD64051226 RAD64051227

Radnor® Classic Plus Series Eyewear

- Sporty swept-back lens design
- Hardcoat polycarbonate lens guards against scratching, static and chemical attack
- Temples have soft grips

Part Number	Lens Description	Frame
RAD64051220	Clear	Clear
RAD64051221	Clear, Anti-Fog	Clear
RAD64051222	Indoor/Outdoor Clear	Charcoal
RAD64051224	Gray	Charcoal
RAD64051225	Gray, Anti-Fog	Charcoal
RAD64051226	Blue Mirror	Charcoal
RAD64051227	Amber	Amber
RAD64051228	Amber, Anti-Fog	Amber

All Radnor® Eyewear meet ANSI Z87+ Standard and block 99.9% of UV rays

UVEX™
by Honeywell

Uvex™ Genesis®

- Dual 9-base wraparound lens provides uncompromised peripheral vision and protection
- Soft elastomer browguard diffuses and deflects impact, while the nosepiece features soft flexible fingers to conform to any nose profile, minimizing slippage
- Adjustable temple length and lens inclination further enhance wearer comfort
- Economical and easy lens replacement system
- Lifetime frame guarantee
- MADE IN USA
- Meets ANSI Z87+ Standard and military V50 ballistic test regiment for impact (Seven times greater than ANSI requires)

Part Number	Lens Description	Frame
UVXS3200	Ultra-dura® Clear	Black
UVXS3200X	Uvextreme® AF Clear	Black
UVXS3201	Ultra-dura® Espresso	Black
UVXS3201X	Uvextreme® AF Espresso	Black
UVXS3202	Ultra-dura® Amber	Black
UVXS3203	Ultra-dura® Gold Mirror	Black
UVXS3204	Ultra-dura® SCT- Reflect 50	Black
UVXS3210X	Uvextreme® SCT- Vermilion	Black
UVXS3211X	Uvextreme® SCT- Blue	Black
UVXS3212X	Uvextreme® Dark Gray	Black

3M™

3M™ Nuvo™ and 3M™ Nuvo™ Readers Protective Eyewear

- Classic dual lens look in a lightweight frame
- Anti-fog polycarbonate lenses absorb 99.9% UV
- Integral sideshields and brow bar
- Adjustable length temples
- Soft, adjustable nose bridge
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007

Part Number	Lens Description	Frame
CAS11411-00000	Clear, Anti-Fog	Translucent Gray
CAS11412-00000	Gray, Anti-Fog	Translucent Gray
CAS11434-00000	Clear, +1.5 Diopter Readers	Translucent Gray
CAS11435-00000	Clear, +2.0 Diopter Readers	Translucent Gray
CAS11436-00000	Clear, +2.5 Diopter Readers	Translucent Gray
CAS11500-00000	Gray, +1.5 Diopter Readers	Translucent Gray
CAS11501-00000	Gray, +2.0 Diopter Readers	Translucent Gray

⚠ WARNING!

These eye and face protection products provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read User Instructions and warnings on the package or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Radnor® Disposable Lens Cleaning Stations & Tissues

- **Small Station** contains 3½ oz. of anti-fog, anti-static cleaner and approximately 760 tissues
- **Large Station** contains 16 oz. anti-fog, anti-static liquid cleaner and approximately 1,520 tissues
- Tissues measure 6" x 5"
- Wall-mount or set on counter
- Eliminates refilling and maintenance

RADNOR

RAD64051434 RAD64051433

Radnor® Disposable Lens Cleaning Stations & Tissues

Part Number	Description
RAD64051433	Small Station
RAD64051434	Large Station
RAD64051430	Tissues, 5" x 7½, 760/pk

MSA
The Safety Company

MSA V-Gard® Caps and Hats

- Constructed of lightweight, injection molded high-density polyethylene
- Rigid, dielectric shell works together with suspension systems for complete head protection
- Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class E)
- Meets the voluntary standard for low temperature and reverse donning as presented by ANSI/ISEA Z89.1-2009
- Meets the voluntary standard for hi-visibility (HV) as prescribed by ANSI/ISEA Z89.1-2009. *Look for the official hi-visibility (HV) marking (HV) or your helmets ANSI label

Reverse Donning

Part Number	Description	Color
MSA475358	Fas-Trac® Ratchet Suspension	White
MSA475360	Fas-Trac® Ratchet Suspension	Yellow
MSA475359	Fas-Trac® Ratchet Suspension	Blue
MSA475363	Fas-Trac® Ratchet Suspension	Red
MSA475362	Fas-Trac® Ratchet Suspension	Green
MSA488146	Fas-Trac® Ratchet Suspension	* Hi-Viz™ Orange
MSA475369	Full-Brim Hat with Fas-Trac Suspension	White
MSA475366	Full-Brim Hat with Fas-Trac Suspension	Yellow
MSA475368	Full-Brim Hat with Fas-Trac Suspension	Blue
MSA475371	Full-Brim Hat with Fas-Trac Suspension	Red
MSA475370	Full-Brim Hat with Fas-Trac Suspension	Green
MSA10021292	Full-Brim Hat with Fas-Trac Suspension	* Hi-Viz™ Orange
MSA10087220	Replacement Fas-Trac® Ratchet Suspension	

For part numbers not listed, contact your local representative.

MSA Skullgard® Protective Caps and Hats

- For use in heavy industries such as steel mills and other higher heat applications
- Feature heavy-duty construction
- Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2009 (Class G)
- Meets the ANSI/ISEA Z89.1-2009 voluntary standard for low temperature (LT) and reverse donning

Part Number	Description	Color
MSA475395	Cap with Fas-Trac® Suspension	Natural Tan
MSA482002	Cap with Fas-Trac® Suspension with Welders Lugs	Natural Tan
MSA475407	Full-Brim Hat with Fas-Trac® Suspension	Natural Tan
MSA473334	Replacement Fas-Trac® Suspension	

Bullard

Bullard® The Standard Series

- Low profile and advanced comfort, and styling in an economical package
- 4-Point nylon suspensions have large, pillowed, replaceable browpads
- Models S61 and S62 come standard with a cotton browpad
- Model S51 comes standard with a poly browpad
- Custom logo printing available
- Model S61 and S51 meet and exceed ANSI/ISEA Z89.1-2009, Type I (Class E and G)
- Model S62, ventilated, meets and exceeds ANSI/ISEA Z89.1-2009, Type I (Class C) requirements

Part Number	Description	Browpad	Color
BUL61WHR	S61 Cap, 4pt Ratchet	Cotton	White
BUL61YLR	S61 Cap, 4pt Ratchet	Cotton	Yellow
BUL61KBR	S61 Cap, 4pt Ratchet	Cotton	Blue
BUL61RDR	S61 Cap, 4pt Ratchet	Cotton	Red
BUL61ORR	S61 Cap, 4pt Ratchet	Cotton	Orange
BUL62WHR	S62 Cap, 4pt Ventilated Ratchet	Cotton	White
BUL62YLR	S62 Cap, 4pt Ventilated Ratchet	Cotton	Yellow
BUL62KBR	S62 Cap, 4pt Ventilated Ratchet	Cotton	Blue
BUL62RDR	S62 Cap, 4pt Ventilated Ratchet	Cotton	Red
BUL62HOR	S62 Cap, 4pt Ventilated Ratchet	Cotton	Hi-Viz Orange
BUL51WHR	S51 Cap, 4pt Ratchet	Poly	White
BUL51YLR	S51 Cap, 4pt Ratchet	Poly	Yellow
BUL51KBR	S51 Cap, 4pt Ratchet	Poly	Blue
BUL51RDR	S51 Cap, 4pt Ratchet	Poly	Red
BULRS4RC	4pt Replacement Suspension Ratchet		

FIBRE-METAL®
by Honeywell

Fibre-Metal® SUPEREIGHT® Ratchet Protective Caps and Hats

- Unique smooth crown design
- Technically advanced 8-point impact energy control system
- Multiple position adjustable headband
- Choice of 360 degree padded, perforated sweatband; ratchet headband, or exclusive SWINGSTRAP™ reversible ratchet headband
- All caps and hats are SEI certified to meet ANSI Z89.1-2009 Type I (Class E) electrical-high voltage, Standard in both peak forward and reverse wearing positions - unless otherwise noted
- All caps and hats meet the ANSI/ISEA Z89.1-2009 voluntary standard for reverse donning
- Comes fully assembled
- Type I (Class E, G & C) Standards

Reverse Donning

Part Number	Description	Color
FIBE2RW01A000	E-2 Cap, Ratchet Suspension	White
FIBE2RW02A000	E-2 Cap, Ratchet Suspension	Yellow
FIBE2RW71A000	E-2 Cap, Ratchet Suspension	Blue
FIBE2RW15A000	E-2 Cap, Ratchet Suspension	Red
FIBE2RW01A1324	E-2 Cap, Ratchet Suspension	White with Flag
FIBE2RW46A009	E-2 Cap, Ratchet Suspension, High-Viz®	Hi-Viz Orange
FIBE2RW00A006	E-2 Cap, Ratchet Suspension, Spirit of America	Patriotic
FIBE2RW00A285	E-2 Cap, Ratchet Suspension, Pride of Mexico	Mexican Flag
FIBE1RW01A000	E-1 Full Brim Hat, Ratchet Suspension	White
FIBE1RW02A000	E-1 Full Brim Hat, Ratchet Suspension	Yellow
FIBE1RW71A000	E-1 Full Brim Hat, Ratchet Suspension	Blue
FIBE1RW15A000	E-1 Full Brim Hat, Ratchet Suspension	Red
FIBE1RW46A000	E-1 Full Brim Hat, Ratchet Suspension	Hi-Viz Orange
FIBE1RW44A000	E-1 Full Brim Hat, Ratchet Suspension	Hi-Viz Yellow

Welding Goggles, Helmets and Accessories

FIBRE-METAL by Honeywell

FIB906G FIB4000

FIB5000

FIB3C

Fibre-Metal® by Honeywell TIGERHOOD™ Classic Lift Front Helmets

- Lightweight thermoplastic welding helmet molded from Noryl®
- Unique design provides extended throat protection while blocking fumes and smoke from the face
- Size and shape allows air to circulate, to help clear any smoke and fumes that seep in
- Molded-in glass holder, telescoping lid provides a seal against light leak
- All models come complete with 2" x 4.25" shade 10 filter lens

Part Number	Description
FIB906GY	TIGERHOOD® Classic Helmet with 3C Ratchet Headgear, Gray
FIB5906GY	TIGERHOOD® Classic Helmet with 5000 Speedy-Loop™ Mounting System, Gray
FIB4906GY	TIGERHOOD® Classic Helmet with 4000 Quick-Lok™ Mounting System, Gray
FIB3C	Standard Ratchet Headgear
FIB4000	Model 4000 Quick-Lok Kit
FIB5000	Model 5000 Speedy-Loop Kit

Kimberly-Clark PROFESSIONAL®

JAC3002498 JAC3002507



JAC3002503

JACKSON SAFETY* W10 HSL Passive Welding Helmets

- Narrow shell design is perfect for work in tight spaces
- Extended front increases throat protection against sparks, slag and other physical hazards
- Hard hat adaptable
- All helmets complete with standard shade 10 polycarbonate filter plate and 370 ratchet headgear

Part Number	Description
JAC3002498	HSL100 4.5" x 5.25" Fixed Front, Black
JAC3002581	HSL100 4.5" x 5.25" Fixed Front, Black - Bulk
JAC3002499	HSL100 4.5" x 5.25" Fixed Front, Blue
JAC3002500	HSL100 4.5" x 5.25" Fixed Front, Red
JAC3002502	HSL100 4.5" x 5.25" Fixed Front with 187 Blades, Black
JAC3002503	HSL1 2" x 4.25" Fixed Front, Black
JAC3002507	HSL2 2" x 4.25" Lift Front, Black
JAC3002580	HSL2 2" x 4.25" Lift Front, Black – Bulk
JAC3014866	370 Replacement Ratchet Headgear (Not Shown)
JAC3002634	187-S Mounting Blades Kit (Not Shown)

RADNOR®

RAD64005080

RAD64005090

RAD64005086

RAD64005088

RAD64005110

RAD64005109

RAD64005111

RAD64005108

Radnor® Welding/Cutting Goggles

- For use with oxy-fuel or propylene gas welding and cutting
- Contoured shape that fits snug to keep out dirt and light
- Hooded vents provide effective cooling and evaporation to minimize fogging
- Adjustable elastic band keeps goggles firmly in place
- Shade 5 filter plate included
- Meets ANSI Z87 Standards

Part Number	Description
RAD64005080	50 mm Rigid Frame
RAD64005086	2" x 4¼" Rigid Frame, Fixed Front
RAD64005090	2" x 4¼" Soft Frame, Fixed Front with Hooded Vents
RAD64005088	2" x 4¼" Soft Frame, Lift Front with Hooded Vents

Radnor® Passive Welding Helmets

- Great for general purpose welding applications
- Shade 10 filter plate included

Part Number	Description
RAD64005110	24P 2" x 4¼" Fixed Front, Black
RAD64005109	24FP 2" x 4¼" Lift Front, Black
RAD64005111	45P 4½" x 5¼" Fixed Front, Black
RAD64005108	54P 5¼" x 4½" Fixed Front, Black

RADNOR®

Radnor® Passive Lenses

	Polycarbonate Safety Plates		CR-39 Cover Plates	
	2" x 4¼"	4½" x 5¼"	2" x 4¼"	4½" x 5¼"
Clear	RAD64005012	RAD64005034	RAD64005014	RAD64005036
	Heat Treated Glass Filter Plates		Polycabonate Gold-Coated Filter Plates	
	2" x 4¼"	4½" x 5¼"	2" x 4¼"	4½" x 5¼"
Shade 5	RAD64005000	RAD64005023	–	–
Shade 8	RAD64005002	RAD64005024	RAD64005060	RAD64005037
Shade 9	RAD64005004	RAD64005026	RAD64005016	RAD64005038
Shade 10	RAD64005006	RAD64005028	RAD64005018	RAD64005040
Shade 11	RAD64005008	RAD64005030	RAD64005061	RAD64005063
Shade 12	RAD64005010	RAD64005032	RAD64005062	RAD64005064
Shade 13	RAD64005009	RAD64005031	–	–
Shade 14	RAD64005011	RAD64005033	–	–

RAD64005006


RAD64005028

RAD64005018

RAD64005014

RAD64005012

RAD64005040

RAD64005036



Radnor® Variable Shade Auto-Darkening Helmets

- Digital LCD display with superb optical clarity
- ASIC (Application Specific Integrated Circuit) minimizes components for increased reliability

Part Number	Description
RAD64005200	Helmet w/ DV 35 Auto-darkening Filter, Black
RAD64005201	Helmet w/ DV 35 Auto-darkening Filter, Blaze
RAD64005202	Helmet w/ DV 35 Auto-darkening Filter, Skull
RAD64005210	Helmet w/ DV 48 Auto-darkening Filter, Black
RAD64005211	Helmet w/ DV 48 Auto-darkening Filter, Blaze
RAD64005212	Helmet w/ DV 48 Auto-darkening Filter, Skull
RAD64005213	Helmet w/ DV 48 Auto-darkening Filter, Blue Fusion
RAD64005220	Helmet w/ DV 81 Auto-darkening Filter, Black
RAD64005221	Helmet w/ DV 81 Auto-darkening Filter, Blaze
RAD64005222	Helmet w/ DV 81 Auto-darkening Filter, Skull
RAD64005223	Helmet w/ DV 81 Auto-darkening Filter, Blue Fusion
RAD64005115	5¼" x 4½" x .040" Polycarbonate Plate
RAD64005119	Comfa-Gear™ Deluxe Ratchet Headgear
RAD64005120	Sweatband
RAD64005122	Comfort Sweatband for Back Strap of Headgear

RAD64005220

RAD64005222

RAD64005221

RAD64005223

24S Single Shade Auto-Darkening Helmet

RAD64005100

- Standard viewing area equal to 5.25 sq. in.
- Ideal for general purpose Stick and MIG welding
- Not recommended for TIG welding less than 40 amps

Part Number	Description	
RAD64005100	24S-Black	2" x 4¼"

Features	24S	DV35	DV48	DV81
Viewing Area	95 x 35 mm (3.74 x 1.38 in)	95 x 35 mm (3.74 x 1.38 in)	96 x 48 mm (3.78 x 1.89 in)	101 x 80 mm (3.98 x 3.15 in)
Filter Dimensions	2" x 4¼"	5¼" x 4½"	5¼" x 4½"	5¼" x 4½"
Dark State	Single Shade 10	Variable Shade 9-13	Variable Shade 5-14	Variable Shade 5-14
Light State	Shade 2.5	Shade 3	Shade 3	Shade 3
UV/IR Protection	Up to Shade 16	Up to Shade 16	Up to Shade 16	Up to Shade 16
Arc Sensors	2 Independent	2 Independent	4 Independent	4 Independent
Controls	Internal	Internal	Internal	Internal
Sensitivity	No	Yes	Yes	Yes
Delay: Dark to Light (sec.)	0.1	0.1 – 3.5	0.1 – 3.5	0.1 – 3.5
Grind Mode	No	Yes	Yes	Yes
TIG Rating	40 Amps and up	5 Amps and up	5 Amps and up	5 Amps and up
Switching Speed	1/2,000	1/10,000	1/10,000	1/10,000
Primary Power Supply	Solar Cell	Solar Cell	Solar Cell	Solar Cell
Back-up Power Supply	Non-Repl Lithium Battery	Non-Repl Lithium Battery	Non-Repl Lithium Battery	Non-Repl Lithium Battery
Operating/Storage Temp.	14°F to 148°F	14°F to 148°F	14°F to 148°F	14°F to 148°F
Enclosure Integrity	Dust resistant	Water & Dust Resistant	Water & Dust Resistant	Water & Dust Resistant
Warranty	2 Years	2 Years	2 Years	2 Years

Welding Helmets and Accessories

Miller

ARC ARMOR™ WELDING PROTECTION

Miller® Digital Elite™ Series Welding Helmets

- Ultimate helmets plus four modes of digital versatility for intense applications
- Features four modes: Weld (shades #8-13), Cut (shades #5-8), Grind (shade #3) and X (shades #8-13)
- X-mode eliminates: sunlight interference, low-amperage lens opening from obstructed sensors- hidden/cavity welds

Part Number	Description
MIL234761	Inferno™
MIL234762	Stars and Stripes™ II
MIL237745	Lucky's Speed Shop™
MIL241979	Black

Miller® Elite Series® Welding Helmets

- Ultimate helmets for demading applications
- Variable shades #8-13 with four sensors
- Comes with four independent arc sensors and has the largest viewing area

Part Number	Description
MIL241975	Black
MIL222669	Inferno™
MIL227187	The Joker™
MIL227188	Camouflage

Miller® Performance™ Series Welding Helmets

- Mid-Range Helmets for all welding applications
- Three independent arc sensors
- Variable shades #8-13 with three sensors

Part Number	Description
MIL232035	Black
MIL232036	America's Eagle™
MIL241460	Camouflage
MIL241458	Blue Rage™

Miller® Pro-Hobby™ Series Welding Helmets

- Ideal helmet for light-duty applications
- Two arc sensors and a lens speed of 1/12,000 second
- Variable shades #8-12 shades with two sensors

Part Number	Description
MIL231404	Black
MIL231405	American Eagle™ II
MIL231407	Camouflage
MIL231408	Red Flame

Miller® Welding Helmet Accessories

Part Number	Description
MIL216326	Elite™ and Digital Elite™ Front Cover Lens, 5/pkg
MIL216327	Elite™ and Digital Elite™ Inside Cover Lens, 5/pkg
MIL231921	Performance™ Front Cover Lens, 5/pkg
MIL770237	Performance™ Inside Cover Lens, 5/pkg

Part Number	Description
MIL231411	Pro-Hobby™ Front Cover Lens, 5/pkg
MIL231410	Pro-Hobby™ Inside Cover Lens, 5/pkg
MIL217043	Replacement Lithium Battery CR2450, 1/pkg
MIL770246	Ratchet Headgear Assembly, 1/pkg

Miller

ARC ARMOR™ WELDING PROTECTION

2 YEAR WARRANTY

FEATURES	Pro-Hobby™ Series — LIGHT-DUTY APPLICATIONS		PERFORMANCE™ Series — MID-RANGE APPLICATIONS		Elite® Series — DEMANDING APPLICATIONS		DIGITAL Elite™ Series — MOST INTENSE APPLICATIONS
SHADE TYPE	Variable Shade, #8-12	UPGRADE	Variable Shade, #8-13		Variable Shade, #8-13	UPGRADE	Variable Shade, #8-13 (#5-8 for cut mode)
VIEWING FIELD	6.06 sq. in.	UPGRADE	7.22 sq. in.	UPGRADE	9.22 sq. in.		9.22 sq. in.
ARC SENSORS	2 Arc Sensors	UPGRADE	3 Arc Sensors	UPGRADE	4 Arc Sensors	UPGRADE	4 Arc Sensors plus X-Mode™
SWITCHING SPEED (in sec.)	1/12,000	UPGRADE	1/20,000		1/20,000		1/20,000
POWER CONTROL	Manual-On/Auto-Off	UPGRADE	Auto-On/Auto-Off		Auto-On/Auto-Off		Manual-On/Auto-Off
TIG RATING	20 Amp	UPGRADE	5 Amp		5 Amp	UPGRADE	5 Amps and below
GRIND MODE	NO	UPGRADE	YES		YES		YES
WEIGHT	16 oz		17 oz		18 oz		18 oz

Kimberly-Clark PROFESSIONAL*

JAC3002515

JACKSON SAFETY* W60 NEXGEN* Digital Auto-Darkening Helmet

- Digital controls feature variable shade 9-13, sensitivity and delay adjustments
- Four independent sensors positioned to reduce possibility of blockage during weld
- Versatile 3-N-1 built-in function: Weld, Torch, Grind
- Amber view lens allows for enhanced clarity of weld puddle
- Technology allows unit to detect welds less than 5 amps
- Replaceable lithium batteries (included) with low battery indicator

Part Number	Description
JAC3002515	HSL 100 Helmet with NEXGEN* 3-N-1 ADF, Black
JAC3002739	NEXGEN® Back Cover Plate
JAC3002672	NEXGEN® Replacement Batteries (Pair)
JAC3014866	370 Replacement Ratchet Headgear

JAC3023293

JACKSON SAFETY* ELEMENT* Auto-Darkening Helmets

- Features an economical lens for the consumer welder
- Available with fixed shade 10 lens or variable shade 9-13, sensitivity and delay adjustments
- Two independent sensors
- Solar powered

Part Number	Description
JAC3023293	W40 ELEMENT* Variable Shade 9-13 with Auto-Darkening Helmet
JAC3023294	W30 ELEMENT* Fixed Shade 10 Auto-Darkening Helmet
JAC3023295	ELEMENT* Lens Kit, 5 Front and 2 Rear Safety Plates (use with JAC3023293)
JAC3023375	ELEMENT* Lens Kit, 5 Front and 2 Rear Safety Plates (use with JAC3023294)
JAC3023376	ELEMENT* Replacement Headgear

3M Speedglas™

H0306-0100-10 H0306-0100-20 H0306-0100-30

Sidewindow

3M™ Speedglas™ 9100 Series Welding Helmets

- Speedglas™ 9100 with Auto-Darkening Filters 9100V, 9100X or 9100XX are good for Stick, MIG, and most TIG welding processes
- Three user-selectable sensitivity levels for reliable arc detection and has excellent optical quality
- Flexible head suspension that conforms to the welder's head to reduce pressure in pressure-sensitive areas
- Covers more vulnerable areas, such as the ears and sides of the neck
- Improved side window features with replaceable covers allow for enhanced peripheral and downward viewing

Part Number	Description	Shade
H0306-0100-10	Helmet with ADF 9100V	5, 8-13
H0306-0100-20	Helmet with ADF 9100X	5, 8-13
H0306-0100-30	Helmet with ADF 9100X	5, 8-13
H0306-0100-10SW	Helmet with ADF 9100V and Side Windows	5, 8-13
H0306-0100-20SW	Helmet with ADF 9100X and Side Windows	5, 8-13
H0306-0100-30SW	Helmet with ADF 9100X and Side Windows	5, 8-13

Speedglas™ 9100X

Speedglas™ 9100	
Viewing Area	1.8 X 3.7 in (44 X 93mm)-9100V 2.1 X 4.2 in (54 X 107mm)-9100X 2.8 X 4.2 in (73 X 107mm)-9100XX
Dark State Options	Shades 5, 8,9-13 (variable) on all ADF models
Light State	Shade 3
Weight (complete assembly in oz)	18.0 (18.9 with SideWindows)-9100V 18.3 (19.2 with SideWindows)-9100X 19.2 (20.1 with SideWindows)-9100XX
Special Modes	Grinding, Tacking*, Lock-in Dark State
Switching Speed	0.1 ms
Battery Life (Hours)	2800-9100V, 2500-9100X, 2000-9100XX
Sensitivity Modes	5 Levels on all ADF models
TIG Rating	1 amps
Number of Sensors	3

WARNING!

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-rd radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. Misuse may result in permanent eye injury and vision loss. Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For proper use, see supervisor. or User Instructions or call 3M in the USA 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.

Part Number	Description	Packaged
H0306-0200-10	Replacement Inside Protection Plate for 9100V Helmet	5/ca
H0306-0200-20	Replacement Inside Protection Plate for 9100X Helmet	5/ca
H0306-0200-30	Replacement Inside Protection Plate for 9100XX Helmet	5/ca
H0306-0200-51	Replacement Outside Protection Plate for 9100 Series Helmets	Each
H0304-0320-00	Replacement Batteries CR-2032	2/pk
H0306-0400-51	Headband Accessory	Each

Faceshields and Headgear

Kimberly-Clark PROFESSIONAL*

JACKSON SAFETY* Faceshields

Used in conjunction with protective eyewear, JACKSON SAFETY* Brand Face Shields provide a high degree of on-the-job protection for heat applications, as well as for grinding, flying debris and splash protection, among others.

All JACKSON SAFETY* Brand Face Shields meet ANSI Z87.1 2010 Standards when used with any JACKSON SAFETY* Brand headgear or cap adapter.

Polycarbonate

- Impact performance
- Good performance against heat
- Excellent cold flexibility

Part Number	Description	Size
JAC3002832	34-60 PC Clear (Molded)	15½" x 8" x .060
JAC3002813	34-63 IR/UV 3.0	15½" x 8" x .060
JAC3002810	34-65 IR/UV 5.0	15½" x 8" x .060

Propionate

- Lightweight

Part Number	Description	Size
JAC3002843	915-60 Clear	15½" x 9" x .060
JAC3002831	915-63 Dark Green	15½" x 9" x .060

Acetate

- Robust combination of weight and strength
- Excellent cold flexibility

Part Number	Description	Size
JAC3002806	8040 Clear	12" x 8" x .040
JAC3002808	34-40 Clear	15½" x 9" x .040
JAC3002848	34-40 Clear (Bulk)	15½" x 9" x .040
JAC3002817	34-41 Light Green	15½" x 9" x .040
JAC3002845	34-42 Dark Green (Bulk)	15½" x 9" x .040

Material Selector Guide

Material	Shape	Impact Resistance	Scratch Resistance	Heat Resistance	Optics
Polycarbonate	Molded/Sheet	Best	Better	Best	Best
Propionate	Molded	Limited	Good	Good	Better
Acetate	Sheet	Limited	Best	Better	Best

Headgear and Adapters

JACKSON SAFETY* 437 Capshield

- All plastic, totally dielectic device for slotted caps
- Curved plastic channel fits over the bill of the cap and includes pivoting blades which snap easily into cap slots
- Faceshields are secured with integral plastic lugs

Part Number	Description
JAC3002444	437 Capshield

JACKSON SAFETY* 137 Capshield

- Metal device for non-slotted caps
- Curved aluminum channel and coil spring attachment

Part Number	Description
JAC3002445	137 Capshield

JACKSON SAFETY* 170-SB Headgear

- Enables attachment of JACKSON SAFETY* faceshields
- Ratchet headgear features large spark deflector

Part Number	Description
JAC3002436	170-SB Headgear

JACKSON SAFETY* 382 B Adapter

- Totally dielectric for slotted caps
- Includes an integral spark deflector and pivoting blades
- Faceshields secured with integral plastic lugs

Part Number	Description
JAC3002441	382 B Cap Adapter

JACKSON SAFETY* 282 B Capmount Adapter

- Mounts faceshields instantly on a wide variety of non-slotted caps with integral plastic lugs
- Uses clips pressed over the cap rim for firm fit; removes with thumb pressure
- Not to be used on caps with slots and/or rain troughs

Part Number	Description
JAC3002440	282 B Capmount Adapter

JACKSON SAFETY* 82 B Capmount Adapter

- Quick detach brackets that join faceshields and spark deflector with plastic pins to cap equipped with #87 mounting blades
- Totally dielectric
- For slotted caps

Part Number	Description
JAC3002438	82 B Capmount Adapter
JAC3002435	#87 Mounting Blades

FIBRE-METAL® by Honeywell

FIBF500

Windows Sold Separately

FIBF5500

FIBFM71

FIB4178CL

Fibre-Metal® HIGH PERFORMANCE® Headgear

- Made from Noryl®, faceshields are stronger, more durable and more heat resistant than ordinary faceshields
- Choose from a 4" or 7" deep crown protector, depending on the need
- Designed for wide vision with extended view windows and screens, providing 40% more protective area than standard windows
- Exclusive Channel Grip System mounts windows and screens, and locks them in place in a deep, recessed channel to form a perfect seal, keeping dust, dirt and debris out
- Ratchet 3-C headband secures a comfortable fit
- SEI certified to meet ANSI Standards
- Windows sold separately

Part Number	Description
FIBF400	F-400 Faceshield with 4" Crown Ratchet Headband
FIBF500	F-500 Faceshield with 7" Crown Ratchet Headband

Fibre-Metal® HIGH PERFORMANCE® Headgear for use with Protective Caps

- Faceshields, with 4" or 7" deep crown protectors, feature the adjustable Speedy® Mounting Loop System
- Allows users to easily put the faceshield on and take it off while a protective cap is on the head
- No tools or modified caps are required, and this mounting system does not affect ANSI rating
- Windows sold separately

Part Number	Description
FIBF5400	F-400 Faceshield with 4" Crown and Speedy® Mounting Loop
FIBF5500	F-500 Faceshield with 7" Crown and Speedy® Mounting Loop

Fibre-Metal® Peak Mounted Headgear

- Fully dielectric mounting bracket provides a positive seal between protective cap or full brim hat and faceshield to keep debris from falling on wearer
- Faceshield may be pivoted above the cap or hat without removing it between uses
- Hat not included
- Windows sold separately

Part Number	Description
FIBFM70	Peak Mounted Faceshield for Cap
FIBFM71	Peak Mounted Faceshield for E-1 Hat

Fibre-Metal® HIGH PERFORMANCE® Faceshield Windows

- Faceshield windows are injection molded from propionate, which is superior to other window materials in every significant performance characteristic
- Pre-formed to the exact curve of crown protectors for an exact fit and a perfect seal against dust, dirt and debris
- Windows for virtually every jobsite hazard are .060" thick for an extra margin of protection
- All products meet ANSI Z87.1-2003 and CSA Z94.3 Standards

Part Number	Description	Size	Color
Wide Vision – Fit F-400, F-500, FM-70 and FM-71 Series			
FIB4178CL	Window	8½" x 16½"	Clear
FIB4178DGN	Window	8½" x 16½"	Dark Green
FIB4178IRUV3	Window	8½" x 16½"	IR/UV Shade 3
FIB4178IRUV5	Window	8½" x 16½"	IR/UV Shade 5
FIB4178IRUV8	Window	8½" x 16½"	IR/UV Shade 8
FIB4178TVGY	Window	8½" x 16½"	Gray
FIB6750IRUV5	Window	8½" x 16½"	IR/UV Shade 5
Extended View – Fits F-400 and F-500 Series			
FIB4199CL	Window	9¾" x 19"	Clear
FIB4199DGN	Window	9¾" x 19"	Dark Green
FIB4199IRUV3	Window	9¾" x 19"	IR/UV Shade 3
FIB4199IRUV5	Window	9¾" x 19"	IR/UV Shade 5

RADNOR®



Radnor® Faceshields and Headgear

- Faceshields fit most leading headgear brands
- Always wear visors with primary eye protection
- Meets the High Impact requirements of ANSI Z87.1-2003 Standard

Radnor® Molded Polycarbonate Visors

Part Number	Description	Size
RAD64051710	Polycarbonate Clear	8" x 15.5" x .060"
RAD64051722	Polycarbonate Dark Green	8" x 16.5" x .060"
RAD64051723	Polycarbonate IR 3.0	8" x 16.5" x .060"
RAD64051725	Polycarbonate IR 5.0	8" x 16.5" x .060
RAD64051740	Polycarbonate Clear	9" x 15.5" x .060"
RAD64051732	Polycarbonate Dark Green	9" x 15.5" x .060"
RAD64051733	Polycarbonate IR 3.0	9" x 15.5" x .060"
RAD64051735	Polycarbonate IR 5.0	9" x 15.5" x .060"
RAD64051752	Polycarbonate Dark Green	9.75" x 19" x .060"
RAD64051753	Polycarbonate IR 3.0	9.75" x 19" x .060"
RAD64051755	Polycarbonate IR 5.0	9.75" x 19" x .060"

Radnor® Molded Propionate Visors – *(Not Shown)*

Part Number	Description	Size
RAD64051720	Propionate Clear	8" x 16.5" x .060"
RAD64051730	Propionate Clear	9" x 15.5" x .060"
RAD64051750	Propionate Clear	9.75" x 19" x .060"

RAD64051065

RAD64051066

Radnor® Headgear

Part Number	Description
RAD64051065	Ratchet Headgear
RAD64051066	Aluminum Brackets for Hard Caps
RAD64051067	Plastic Brackets for Hard Caps
RAD64051068	Plastic Bracket with Rubber Band for Hard Caps

Disposable Earplugs

3M

All disposable earplugs shown here are sold per box

3M™ E-A-R™ Classic™ Earplugs

Classic™

- Slow recovery foam provides comfort with low pressure
- Yellow color aids in compliance
- MADE IN USA

Part Number	Description	NRR	Packaged
CAS310-1060	Classic™ Uncorded	29	30 pr/bx
CAS310-1001	Classic™ Uncorded, Pillow Pack	29	200 pr/bx
CAS312-1201	Classic™ Uncorded, Poly Bag	29	200 pr/bx
CAS311-1101	Classic™ Corded, Poly Bag	29	200 pr/bx
CAS310-1080	Classic™ Corded, Poly Bag	29	100 pr/bx

Classic™

Pillow Pack

3M™ E-A-Rsoft™ Foam Earplugs

- A bright neon yellow makes compliance checks easy
- MADE IN USA

Part Number	Description	NRR	Packaged
CAS312-1250	Yellow Neons™ Uncorded, Regular	33	200 pr/bx
CAS311-1256	Yellow Neons™ Corded, Regular	33	100 pr/bx
CAS311-1250	Yellow Neons™ Corded, Regular	33	200 pr/bx



Yellow Neon™ Corded

Yellow Neons™ Regular

RAD64051810

RADNOR

Radnor® Tapered Foam Disposable Earplugs

- Easy roll-down, less tendency to back out of the ear canal ensuring a tight seal for optimal protection
- Smooth, soil-resistant skin prevents build-up of dirt on the earplug

Part Number	Description	NRR	Packaged
RAD64051810	Uncorded	29	200 pr/bx
RAD64051811	Corded	29	100 pr/bx

HOWARD LEIGHT

by Honeywell

Howard Leight® Max® Single-Use Earplugs

- Enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer polyurethane foam delivers superior long-wearing comfort

Part Number	Description	NRR	Packaged
HLIMAX-1	Max® Uncorded	33	200 pr/bx
HLIMAX-30	Max® Corded	33	100 pr/bx

HLIMAX-30

HLIMAX-1

HLILPF-1

Howard Leight® Max Lite® Single-Use Earplugs

- Ideal for workers with smaller ear canals
- Contoured T-shape delivers easy handling for insertion and removal

Part Number	Description	NRR	Packaged
HLILPF-1	Max Lite® Uncorded	30	200 pr/bx
HLILPF-30	Max Lite® Corded	30	100 pr/bx



MOLDEX

Ideas that wear well.

Moldex® Pura-Fit® Disposable Earplugs

- 100% PVC-Free
- Tapered for easy insertion
- Improved, softer foam for maximum comfort
- Hygienically packaged in biodegradable paper pouches
- Non-irritating, smooth surface
- Longer length for easy fitting and removal
- The bright green color is a trademark of Moldex-Metric, Inc. and also provides easy compliance checks

Part Number	Description	NRR	Packaged
MOL6800	Uncorded	33	200 pr/bx
MOL6900	Corded	33	100 pr/bx

All reusable earplugs shown here are sold per box

3M™ E-A-R™ Express™ Pod Plugs™

- Available in blue or assorted colors, uncorded and corded

Part Number	Description	NRR	Packaged
CAS321-2100	Uncorded, Blue	25	100 pr/bx
CAS311-1114	Corded, Blue	25	100 pr/bx
CAS321-2200	Uncorded, Assorted	25	100 pr/bx
CAS311-1115	Corded, Assorted	25	100 pr/bx



by Honeywell

Howard Leight Quiet® Multiple-Use Earplugs

- Patented *no-roll* design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in stem makes insertion quick and easy

Part Number	Description	NRR	Packaged
HLIQD1	Uncorded - Polybag	26	100 pr/bx
HLIQD30	Corded - Polybag	26	100 pr/bx



Howard Leight Leightning® Noise Blocking Earmuffs

- Robust steel headband withstands demanding use, especially in tough environments – snap-in ear cushions make replacement quick and easy
- Padded foam headband delivers long-wearing comfort with minimal pressure on the head
- Patented Air Flow Control™ technology provides optimal attenuation across all frequencies – three attenuation levels allow for targeted attenuation for a variety of applications
- Telescopic height adjustment remains fixed during use

The **Neckband** styles have a sleek, anatomic behind-the-neck design for use with face shields, visor hard hats and other PPE.
Includes attached, adjustable elastic headband for improved comfort and fit

Part Number	Description	Style	NRR
HLI1010922	L1, Slimline	Headband	25
HLI1010923	L2, Medium Attenuation	Headband	27
HLI1010924	L3, High Attenuation	Headband	30
HLI1013460	L0N, Ultraslim	Neckband	22
HLI1011994	L1N, Slimline	Neckband	25
HLI1011995	L2N, Medium Attenuation	Neckband	26
HLI1011996	L3N, High Attenuation	Neckband	28

Leightning® L1

Leightning® L0N Neckband

NRR 22

3M™ Peltor™ PowerCom PLUS™ 2-Way Radio Headset

- Transmits up to two miles with 22 channels and 38 privacy subchannels
- Push-to-talk or voice activated, it also has an ambient surround listening feature and advanced ghost voice technology
- Includes rechargeable battery pack listed below

Part Number	Description	NRR
CASMT53H7A4610	PowerCom PLUS™ Headband	25
CASMT53H7B4610	PowerCom PLUS™ Neckband	25
CASMT53H7P3E461	PowerCom PLUS™ Hardcap Mount	24
Instrinsically SafePowerCom PLUS™		
CASMT53H7A4620	IS PowerCom PLUS™ Headband	25
CASMT53H7B4620	IS PowerCom PLUS™ Neckband	25
CASMT53H7P3E462	IS PowerCom PLUS™ Hardcap Mount	24
CAS88009-00000	Rechargeable Battery Pack	

PowerCom Plus™ Headband

Disposable Respirators

3MR8210

3MR8271

3MR8514

3MR8511

3MR8214

3MR8233

3M™ Particulate Respirator 8210 and 8210*Plus*, N95

- Quality, reliable worker protection
- Lightweight construction
- Adjustable noseclip helps provides a custom fit
- 3M™ proprietary filter media
- 8210*Plus* also features a staple-free braided comfort strap
- Sold per box
- MADE IN USA

Part Number	Description	Packaged
3MR8210	Particulate Respirator 8210, N95	20/bx
3MR8210PLUS	Particulate Respirator 8210*Plus*, N95	20/bx

3M™ Particulate Respirator 8511, N95

- For work settings that involve heat, humidity, or long periods of wear
- Features Advanced Electret Media and 3M™ Cool Flow™ Exhalation Valve for easy exhalation and cool comfort
- Adjustable M-noseclip to provide comfort and to help reduce eyewear fogging
- Sold per box
- MADE IN USA

Part Number	Description	Packaged
3MR8511	Particulate Respirator 8511, N95	10/bx

3M™ Particulate Respirator 8271, P95

- Appropriate for use against certain oil and non-oil based particles
- Faceseal and M-noseclip helps provide a custom fit
- 3M™ Cool Flow™ Exhalation Valve offers easy exhalation and cool comfort
- Advanced Electret media help make breathing easier
- Sold per box
- MADE IN USA

Part Number	Description	Packaged
3MR8271	Particulate Respirator 8271, P95	10/bx

3M™ Particulate Welding Respirators 8214 and 8514, N95

- Includes proprietary advanced electret media, 3M™ Cool Flow™ Exhalation Valve, adjustable straps, conformable faceseal (8214 only) and cake-resistant filter material
- Provides relief from nuisance level* organic vapors
- 3M™ recommeded for ozone protection up to 10 times the OSHA PEL or applicable exposure limits, whichever is lower (Not NIOSH approved for ozone)
- Sold per box
- MADE IN USA

Part Number	Description	Packaged
3MR8214	8214, N95 Respirator/Nuisance Level* Organic Vapor Relief with Faceseal	10/bx
3MR8514	8514, N95 Respirator/Nuisance Level* Organic Vapor Relief	10/bx

**Nuisance level refers to concentrations not exceeding the OSHA PEL or other occupational exposure limit, whichever is lower*

3M™ Particulate Respirator 8233, N100

- Ideal for exposures to OSHA substance specific particulates in non-oil environments: lead, cadmium, arsenic, and 4,4'-Methylenedianiline (MDA), (excluding asbestos)
- Use for solids including those processes involving the heating of metals
- Features the 3M™ Cool Flow™ Exhalation Valve Advanced Electret Media, faceseal and adjustable straps
- Sold individually
- MADE IN USA

Part Number	Description	Packaged
3MR8233	Particulate Respirator 8233, N100	Individually

All 3M™ Filtering Facepiece Respirators shown on this page contain no components made from natural rubber latex.

MOLDEX® Ideas that wear well.

Moldex® 2200N95 Particulate Respirators

- Constructed with a sturdy Dura-Mesh® shell and Softspun® lining
- Long lasting and comfortable to wear for dust and non-oil mist applications
- Soft foam nose cushion eliminates pressure points for added comfort
- Meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- Sold per box

Part Number	Description	Packaged
MOL2200N95	2200 N95 Medium/Large	20/bx

Moldex® 2300N95 Particulate Respirators with Exhale Valve

- Featuring a Dura-Mesh® shell and Softspun® lining
- Includes an exhalation valve to make breathing cooler and easier
- Suitable for non-oil welding applications
- Respirator meets heat and flame resistance in accordance with ANSI/ISEA 110-2003 Section 7.11.1
- Sold per box

Part Number	Description	Packaged
MOL2300N95	2300 N95 Medium/Large	10/bx

3M™ Full Facepiece Respirator 6000 Series, Reusable

- Facepiece provides a lightweight, well balanced and comfortable fit
- No extra parts required to attach filters, cartridges or a dual airline

Part Number	Description	Size
3MR6700	Full Facepiece 6000	Small
3MR6800	Full Facepiece 6000	Medium
3MR6900	Full Facepiece 6000	Large

3M™ Half Facepiece Respirator 6000 Series, Reusable

- Lightweight with easy-to-adjust headstraps
- The swept back design of the cartridges helps improve balance and visibility
- No retainer or extra parts needed to attach the filters/cartridges to the facepiece
- Can be disassembled, cleaned and reused

Part Number	Description	Size
3MR6100	Half Facepiece 6100	Small
3MR6200	Half Facepiece 6200	Medium
3MR6300	Half Facepiece 6300	Large

Cartridges

Filters & Accessories

Cartridges, Filters, & Retainers For the 6000 Series Respirators

Part Number	Color Code & Description	Packaged
3MR6001	Organic Vapor	2/pk
3MR6002	Acid Gas	2/pk
3MR6003	Organic Vapor / Acid Gas	2/pk
3MR6004	Ammonia / Methylamine	2/pk
3MR6005	Formaldehyde / Organic Vapor	2/pk
3MR6006	Multi Gas / Vapor	2/pk
3MR6009	Mercury Vapor / Chlorine Gas	2/pk
3MR60921	P100 / Organic Vapor	2/pk
3MR60922	P100 / Acid Gas	2/pk
3MR60923	P100 / Organic Vapor / Acid Gas	2/pk
3MR60924	P100 / Ammonia / Methylamine	2/pk
3MR60925	P100 / Formaldehyde / Organic Vapor	2/pk
3MR60926	P100 / Multi Gas / Vapor	2/pk
3MR60929	P100 / Mercury Vapor / Chlorine Gas	2/pk

Part Number	Color Code & Description	Packaged
3MR5N11	N95 Filters for use with 501 Filter Retainer	10/pk
3MR5P71	P95 Filters for use with 501 Filter Retainer	10/bx
3MR2291	P100 Filters	2/pk
3MR2076HF	P95 Filters / Hydrogen Fluoride with Nuisance level Acid Gas relief*	Each
3MR2078	P95 Filter with Nuisance level Organic Vapor / Acid Gas relief*	2/pk
3MR2296	P100 Filter Nuisance level* Acid Gags relief	2/pk
3MR2297	P100 Filter Nuisance level* Organic Vapor relief	2/pk
3MR2091	P100 Filters	2/pk
3MR2096	P100 Filter with Nuisance level Acid Gas relief*	2/pk
3MR2097	P100 Filter with Nuisance level Organic Vapor relief*	2/pk
3MR7093	P100 with Nuisance Level* Acid Gas Relief	2/pk
3MR7093-B	P100 Filter - Bulk	144/cs
3MR7093C	P100 Cartridge/Filter Hydrogen Fluoride w/ Nuisance level Organic Vapor /Acid Gas relief*	60/cs
3MR501	Prefilter Retainer for use with the 5N11 or 5P71 filters	Each
3MR502	Filter Adapter for use with the 2000 Series or 7093 filters	Each

**3M™ recommended for relief against nuisance levels of certain organic vapors and/ or acid gases. Nuisance level refers to concentractions that are less than the OSHA PEL or applicable exposures limits, whichever is lower. Do not use for respiratory protection against organic vapors or acid gases.*

APR and Respiratory Accessories

NORTH® by Honeywell

North 7700 Series Half Mask APR

- Wide sealing area for superior fit
- One piece cradle suspension keeps facepiece in place
- Direct cartridge to facepiece seal means no gaskets to worry about
- 100% silicone
- All parts are replaceable

Part Number	Description	Size
NOS770030S	7700 Half Mask	Small
NOS770030M	7700 Half Mask	Medium
NOS770030L	7700 Half Mask	Large

North 7600 Series Full Facepiece APR

- 7600 Series is made from soft silicone with dual flange
- Made from a soft pliable elastomer
- Feature clear coated polycarbonate lens with 200° field of vision, and nose cup to reduce fogging

Part Number	Description	Size
NOS760008AS	7600 Full Facepiece	Small
NOS760008A	7600 Full Facepiece	Medium/Large

Cartridges for APR Masks

Filters for APR Masks

Cartridges, Filters & Parts for North Respirators

Part Number	Color Code & Description	Packaged
NOSN75001	Organic Vapor	2/pk
NOSN75002	Acid Gas / Formaldehyde	2/pk
NOSN75003	Organic Vapor / Acid Gas	2/pk
NOSN75004	Ammonia / Methylamine	2/pk
NOS75SC	Multi-Purpose	2/pk
NOSN750052	Mercury Vapor / Chlorine, End of Service Life Indicator for Mercury Vapor	2/pk
NOS7580P100	P100	2/pk
NOS7581P100	P100 / Organic Vapor	2/pk
NOS7582P100	P100 / Acid Gas / Formaldehyde	2/pk
NOS7583P100	P100 / Organic Vapor / Acid Gas	2/pk
NOS7584P100	P100 / Ammonia / Methylamine	2/pk
NOS75SCP100	P100 / Multi-Purpose	2/pk
NOS75852P100	P100 / Mercury Vapor / Chlorine, ESLI for Mercury Vapor	2/pk

Part Number	Color Code & Description	Packaged
NOS719009N99	N99 Replacement Filter for 7190 Respirator	2/pk
NOS7506N95	N95 Filter	10/bg
NOS7506R95	R95 Filter	10/bg
NOS7506N99	N99 Filter	10/bg
NOS75FFP100	P100 Pancake Filter	2/bx
NOS75FFP100NL	P100 Pancake Filter with Odor Relief	2/pk
NOS7535FFP100	(5 pair) 75FFP100 Filters and (2 each) Adapters	1/pk
NOSN750027	Seal Check Filter Cover (attaches filters to cartridge, 2 required)	Each
NOS7531N95	N95 Filter Assembly	2/pk
NOS7531R95	R95 Filter Assembly	144/ca
NOSN750015	Filter Holder for 7506N95, 7506N99 and 7506R95	Each
NOSN750029	Deflector Cap for 7580P100 Filter for Protection From Shower Spray & Welding Sparks	24/cs

Radnor® PPE Cleaning Wipes

- Perfect for cleaning respirators, phones, keyboards, hard hat liners and other personal protective equipment
- Essential product when protective equipment must be shared
- Pre-moistened towelettes are folded and packaged in 2" x 2¼" foil envelopes
- Packaged in a dispenser box containing 100 individual foil envelopes
- Towelettes may be taken and stored in workers' pockets or any convenient place near the work area

RADNOR®

Part Number	Description	Packaged
RAD64051443	PPE Cleaning Wipes-Alcohol-Free	100/bx
RAD64051444	PPE Cleaning Wipes	100/bx

Bullard® One Part Number. One Carton. Complete System.

Bullard® offers a convenient, one-stop solution for an entire respiratory work system. An option for individual component purchasing is available. Which system is right for you? Answer these questions:

Does your job site already have a compressed air supply?
If Yes, consider the Clean Air Box (CAB) system that easily connects to any compressed breathing air source.

Clean Air Boxes:
- Auto Calibration
- 3-Stage Filtration
- Continuous CO Monitoring

- **Is your application one that requires personal cooling?**
  If Yes, the Clean Air Box System (CAB) allows for personal cooling options for worker comfort.
- **Do you require portability of the system or have limited access to compressed air?**
  If Yes, the portable Free-Air® Pump System is the answer.

Bullard® Painting and Chemical Hazards: CAB15HASYS SYSTEM

The CAB15HASYS system comes complete with a 15 CFM CAB with ¼" Hansen compatible outlet coupling; 20TIC Tychem® Double-Bib hood with inner bib assembly; cool tube; breathing tube assembly and air supply hose.

Part Number	Description
BULCAB15HASYS	Complete Tychem Hood CAB System
BULCC20TIC30	Complete Hood Assembly: Tychem Double Bib Hood

Bullard® Abrasive Blasting: CAB15HA88VXSYS SYSTEM

The CAB15HA88VXSYS system comes complete with a 15 CFM CAB with ¼" Hansen compatible outlet coupling; industry leading 88VX Abrasive Blasting helmet respirator hood; cool tube; breathing tube assembly and air supply hose.

Part Number	Description
BULCAB15HA88VXS	Complete Blasting Hood CAB System
BUL88VX3230	Complete Hood Assembly: Blast Respiratory with 28" Cape

Bullard® CAB SYSTEM Individual Components and Replacement Parts

Part Number	Description
BUL20TICN	Replacement Tychem® Double-Bib Hood, No Suspension
BUL20RT	Replacement Ratchet Headband for Tychem hood
BULHC2400	Adjustable Hot/Cool Tube Assembly
BUL4696	25' Starter Hose Kit
BUL5457	50' Extention Hose
BUL5458	100' Extention Hose
BUL46VX	28" Replacement 88VX Series Nylon Cape
BUL20TIC	Tychem® QC Double Bib Hood w/ Inner Bib Pinlock Suspension
BUL20TJN	Single Bib Tychem® QC Hood without Suspension
BULP771B	Replacement Acetate Inner Lens for 88VX Hood
BULAC1000	Cool Tube Assembly
BULCAB15HA	CAB only: 15 CFM CAB with Hansen Outlet

3M™ Versaflo™ TR-300 Powered Air Purifying Respirators (PAPR)

- Lightweight Powered Air Purifying Respirator is an easy-to-use, versatile respirator system for particulate environments
- Compact, well-balanced and slim design with a flexible range of headgear

3M™ H-Series Hoods

- Offers exceptional comfort and can be worn with facial hair and glasses
- Includes two of the 3M™ Hood H-410 and Faceshield Cover H-110 and one each of the 3M™ Hatshell W-3258, Head Suspension W-2878, Chin Strap H-114 and Squeeze Clamp W-3222

Part Number	Description
3MRH-412	Hood Assembly w/ Inner Collar & Hard Hat
3MRH-410-10	Replacement Hood w/ Collar

3M™ Breathing Tube Adapters

Part Number	Description
3MRH-120	For use w/ H-Series and TR-30



* For altitudes above 2,600 feet (800m), contact 3M.

TR-300 Particulate PAPR Assemblies

Part Number	Description
3MRTR-305N	PAPR Assembly w/ Standard Belt & Economy Battery (Includes: PAPR Unit, Filter Cover, Belt, Battery, Battery Charger Kit, HE Filter, & Prefilter)
3MRTR-306N	PAPR Assembly w/ High Durability Belt & High Capacity Battery (Includes: PAPR Unit, Filter Cover, Belt, Battery, Battery Charger Kit, HE Filter, & Spark Arrester/Prefilter)
3MRTR-307N	Easy Clean Belt & High Capacity Battery (Includes: PAPR Unit, Filter Cover, Belt, Battery, Battery Charger Kit, HE Filter, & Prefilter)

TR-300 Filters

Part Number	Description
3MRTR-3710N-5	Particulate Filter
3MRTR-3710N-40	Particulate Filter, 40/case

NOTE: Please note that headgear, breathing tube, air control valve, and compreseed air supply hose are required parts in a NIOSH approved system. Portable air purification panels are not.

MSA
The Safety Company

ALTAIR® Maintenance-Free Single-Gas Detectors

- Triple-alarm system features two bright flashing LED's, a piercing audible alarm and a vibrating alarm to ensure that no alarm condition goes unnoticed
- 95 dB audible alarm (distinct sounds for High and Low alarms)
- Dual LED's positioned to be seen from all angles
- Standard vibrating alarm and standard event logging
- Hard polycarbonate case, encapsulated in a thick rubberized shell
- Extremely resistant to drops and impacts
- Rated to IP67 protection levels for dust/water ingress
- Two years or 18 hours of alarm (1,080 minutes)

Part Number	Description
MSA10092522	ALTAIR® Single Gas Carbon Monoxide (CO)
MSA10092521	ALTAIR® Single Gas Hydrogen Sulfide (H_2S)
MSA10092523	ALTAIR® Single Gas Oxygen (O_2)

ALTAIR® 5X Multigas Detector

- Second generation of ALTAIR® 5X multigas detector
- New MSA XCELL™ sensors have faster response and span calibration times
- Typical sensor life greater than four years for combustible, O_2, CO/H_2S and SO_2 sensors
- End-of-sensor-life warning gives advanced notice to user, reducing service outages
- Embedded microelectronics provide greater stability & performance
- Rugged polycarbonate housing provides unsurpassed durability – Survives a 10' drop
- Standard 3-year warranty

Part Number	Description
MSA10116924	ALTAIR® 5X Multigas Detector (LEL, O_2, CO, H_2S)
MSA10116925	ALTAIR® 5X Multigas Detector (LEL, O_2, CO, H_2S, SO_2)
ALTAIR® 5X Detector Industrial Kits – monochrome display. Integral pump, 10' sampling line and 1' probe	
MSA10116926	ALTAIR® 5X Multigas Detector Industrial Kit (LEL, O_2, CO, H_2S)
MSA10116927	ALTAIR® 5X Multigas Detector Industrial Kit (LEL, O_2, CO, H_2S, SO_2)
ALTAIR® 5X Detector Deluxe Kits – color display, integral pump, 10' sampling line and 1' probe	
MSA10116928	ALTAIR® 5X Multigas Detector Deluxe Kit (O_2, CO, H_2S)
MSA10116929	ALTAIR® 5X Multigas Detector Deluxe Kit (O_2, CO,H_2S, SO_2)
ALTAIR® 5X Galaxy® Automated Test System	
MSA10090602	Galaxy® Standard System with Charging Capability and Cylinder Holder
MSA10090592	Galaxy® Smart System (memory card) with Charging and Cylinder Holder
Calibration Gas	
X05NI83BA34C2T9-T	Calibration Gas Cylinder (34 l) 1.45% CH4, 15% O_2, 60 ppm CO, 20 ppm H_2S
X05NI83CP5875D8-T	Calibration Gas Cylinder (54 l) 1.45% CH4, 15% O_2, 60 ppm CO, 20 ppm H_2S
MSA10117738	Calibration Gas Cylinder (58L), 1.45% CH4, 15% O_2, 60 ppm CO, 20 ppm H_2S, 10 ppm SO_2
MSA10098855	Calibration Gas Cylinder (34L), 1.45% CH4, 15% O_2, 60 ppm CO, 20 ppm H_2S, 10 ppm SO_2
Accessories	
MSA10082834	USB IR Receiver
MSA10114837	Battery Pack, Alkaline

BW Technologies by Honeywell

BW Technologies GasAlertClip Extreme 2- and 3-Year SingleGas Detectors

Ideal for contractors, the compact, lightweight GasAlertClip Extreme single gas detector provides two or three years of continuous maintenance-free operation. No calibration, sensor replacement, battery replacement or charging is required for the life of the instrument.

- Easy, accurate record keeping with event logging
- Built-in concussion proof housing
- User-activated daily self-test
- **2-Year – H_2S, CO, SO_2 or O_2**
- **3-Year – H_2S or CO**

IP67 Dust/Water Proof — MicroDock II compatible

Part Number	Descriptions	Factory Alarm Set Points
GasAlertClip Extreme 2-Year		
B86GA24XTH	Hydrogen Sulfide (H_2S)	Low - 10 ppm / High - 15 ppm
B86GA24XTM	Carbon Monoxide (CO)	Low - 35 ppm / High - 200 ppm
GasAlertClip Extreme 3-Year		
B86GA36XTH	Hydrogen Sulfide (H_2S)	Low - 10 ppm / High - 15 ppm
B86GA36XTM	Carbon Monoxide (CO)	Low - 35 ppm / High - 200 ppm

Also available are 2-year SO_2 or O_2 models, bulk packaging and accessories.

BW Technologies MAX XT II – Multi-Gas Detectors with Pump

The GasAlertMax XT multi-gas detector features a robust built-in motorized sampling pump with SmartSample technology that prevents downtime and increases efficiency on a shift.

Detector Configuration Choices:

Number of Gases: 1, 2, 3 or 4 gases
Gas Types: H_2S, CO, LEL, O_2

IP67 Dust/Water Proof — MicroDock II compatible

Part Number	Descriptions	Gas Types
B86XTXWHMYNA	4-Gas Detector	%LEL, O_2, H_2S, CO
B86XTXWH0YNA	3-Gas Detector	%LEL, O_2, H_2S
B86XTXW0MYNA	3-Gas Detector	%LEL, O_2, CO

Other gas configurations and options are available.

INDUSTRIAL SCIENTIFIC

ISC GasBadge® Plus Personal Single Gas Monitor

- One-year continuous monitoring
- Low cost O_2, CO, H_2S, SO_2 NO_2 monitoring
- PPM or % by volume
- DS2/iNet™ compatible
- Powerful audible alarm complemented by vibration and visual alarms, standard
- User adjustable alarm and calibration gas set points
- Extremely water-resistant – third party certified IP66/67
- One-year warranty

Part Number	Description
I24181000501	GasBadge® Plus Carbon Monoxide (CO)
I2418100050-2	GasBadge® Plus Hydrogen Sulfide (H_2S)
I24181000503	GasBadge® Plus Oxygen (O_2)
I24181000504	GasBadge® Plus Nitrogen Dioxide (NO_2)
I24181000505	GasBadge® Plus Sulfur Dioxide (SO_2)
I2418107698-ABC	DS2 GasBadge® Plus Instrument Docking Station

iNet READY — DockMe DOCKING STATION COMPATIBLE

ISC MX6 iBrid™ Multi-Gas Monitor

- 1 to 6 gas monitor
- Full-color LCD display
- Up to 36 hours with extended runtime (ER) battery with diffusion model
- Simple, menu-driven navigation
- 25 available sensors including PID and IR
- Diffusion or internal pump operation
- Lifetime warranty
- DS2/iNet™ compatible

Part Number	Description
I24MX6K1230101	MX6 iBrid™ Monitor for LEL, CO, H_2S, O_2, Li-Ion Battery, Diffusion
I24MX6K1230211	MX6 iBrid™ Monitor for LEL, CO, H_2S, O_2, Li-Ion/ER Battery, Aspirated
I24MX6K123R211	MX6 iBrid™ Monitor for LEL, CO, H_2S, O_2, PID Li-Ion Battery, Aspirated
I24MX6K103Q211	MX6 iBrid™ Monitor for LEL, CO, O_2, CO_2, Li-Ion Battery, Aspirated
I246KITK1230211	MX6 iBrid™ Confined Space Kit LEL, CO, H_2S, O_2, Li-Ion Battery, w/Pump
I246KITK123R211	MX6 iBrid™ Confined Space Kit LEL, CO, H_2S, O_2, PID Li-Ion Battery, w/Pump

D621113124

D621191209

D621101655

D621102000

ExoFit NEX™ Construction Style Harnesses

- Technology advanced hardware
- Soft yet extremely durable anti-absorbent webbing, strategically placed padding and protective elements
- Reflective material throughout the harness provides better visibility
- Lightweight Tech-Lite™ Aluminum Stand-up dorsal D-ring secures a connector
- Integrated suspension trauma straps for post fall-arrest comfort
- Meets all applicable industry standards, including OSHA and ANSI Standards

Part Number	Description	Size
D621113124	ExoFit NEX™ Construction Style Harness with Locking Quick Connect Buckles, Side and Back D-Rings, Sewn-In Hip Pad and Body Belt	Medium
D621113127	ExoFit NEX™ Construction Style Harness with Locking Quick Connect Buckles, Side and Back D-Rings, Sewn-In Hip Pad and Body Belt	Large
D621113130	ExoFit NEX™ Construction Style Harness with LockingQuick Connect Buckles, Side and Back D-Rings, Sewn-In Hip Pad and Body Belt	XLarge

PRO™ Harnesses

- Harnesses have improved fit, updated colors and durable lightweight construction, 420 lb. capacity
- Provides greater comfort and added safety for reduced worker fatigue and increased productivity
- Complies with OSHA and ANSI

Part Number	Description	Size
D621191209	PRO™ Harness, Construction Style, Tongue Buckle Legs, Back & Side D-rings, Hip Pad and Belt	Medium/ Large
D621191210	PRO™ Harness, Construction Style, Tongue Buckle Legs, Back & Side D-rings, Hip Pad and Belt	XLarge

D621340180

PRO™ Shock Absorbing Lanyards

- Featuring durable 1" polyester webbing
- 3,600 lb. gated hooks
- Energy absorbing design that limits fall arrest forces to 900 lbs. or less
- Meet all applicable OSHA and ANSI Standards

Part Number	Description
D621340180	PRO™ 1" web, twin-leg 100% tie-off, self locking snap hook and rebar hooks, 6 ft. (1.8 m)

Delta™ Construction Style Harness

- Features tongue buckle leg straps, sewn-in shoulder pads, a *stand-up* back D-ring, body belt with side D-rings and the Delta No-Tangle™ design
- Sliding Delta pad makes it easy to differentiate the front from the back and spreads the back webbing to eliminate abrasion from the shoulder straps for added safety and comfort
- Meets all applicable OSHA and ANSI Standards

Part Number	Description	Size
D621101654	Delta™ Construction Vest Style Harness	Medium
D621101655	Delta™ Construction Vest Style Harness	Large
D621101656	Delta™ Construction Vest Style Harness	XLarge

Delta™ Vest Style Harness

- Features a spring-loaded, stand-up dorsal D-ring to help you make fast, easy and safe connections
- Delta™ proves its workhorse standing with a 420 lb. carrying capacity
- Meets all applicable OSHA and ANSI Standards

Part Number	Description	Size
D621102000	Delta™ Vest Style Harness with Back D-Ring and Tongue Buckles	Universal

D621244412

ShockWave2™ Shock-Absorbing Lanyard

- Offers freedom of movement while reducing trip hazards, dragging and snagging
- When not pulled taut, the 6' long lanyard contracts to 4½ feet
- Inner core limits fall arrest forces to 900 lbs. or less
- 3,600 lb. gate hooks, single and twin leg versions available
- Meets all applicable OSHA and ANSI Standards

Part Number	Description
D621244412	6' ShockWave2™ Double Leg, Steel Rebar Hook, Double Locking Snap Hook Other End


D622100101

D622100085

Concrete Anchors

Saflok™ Concrete Wedge Anchor

- Provides a safe, fall arrest rated 5,000 lbs. anchor point for vertical or overhead/ceiling concrete applications
- Can be removed and simply re-installed in a new location for added jobsite flexibility
- Exclusive quick-release button provides immediate anchor removal

Reusable Saflok™ Toggle Anchor

- Reusable, safe and secure anchorage solution used for horizontal, vertical or overhead applications
- Can be used with precast concrete, precast hollow core concrete or in steel flanges
- All products listed above meet or exceeds all applicable standards including OSHA and ANSI

Part Number	Description
D622100085	Reusable Concrete Anchor
D622100101	Saflok™ Concrete Wedge Anchor



EZ-Line™ Horizontal Lifeline System

The world's first retractable horizontal lifeline system is fast, easy and simple to install.

- Retractable lifeline pulls out for installation and retracts with built-in winch
- Customize your system length in any increment up to 60'
- Attaches to any 5,000 lb. (22kN) rated anchorage connector or stanchion
- Built-in pretension and impact indicators for added safety
- 33% lighter than conventional systems and easier to relocate and store

Part Number	Description
D627605060	60 ft. EZ-Line™ Horizontal Lifeline System

PROTECTA

Rebel™ Self-Retracting Lifeline

- Industry's lightest and most compact 11' or 20' self-retracting lifeline, offers the best weight-to-length ratio
- Unique super-strength thin webbing provides total security and added length in this compact SRL
- Includes the housing carabiner
- Meets all applicable OSHA and ANSI Standards

Part Number	Description	Weight
D62AD111AR	11' Rebel™ Housing Swivel	2.9 lbs
D62AD120AR	20' Rebel™ with Housing and Carabiner	5.3 lbs

DBI SALA™

D623102000

D623102100

Twin-Leg Talon® Self Retracting Lifelines

- Compact, lightweight design connects directly to the back of the harness
- Twin-leg style provides continuous 100% protection while moving from location to location
- Meets OSHA and ANSI standards

Additional Tie-Back Model Features

- Specialized construction withstands the wear associated with tie-back use
- Unique 5,000 lb. gated hooks and three layer webbing in tie-back area provide added safety and protection
- Eliminates the need for a separate anchorage connector

Part Number	Description
D623102000	Twin Leg, 6' Length, 3.5' Delta™ Comfort Pad, Aluminum Rebar Hooks
D623102100	Twin Leg, 7.5' Length, 3.5' Tie-back Webbing



Glyder™ 2 Sliding Beam Anchor

- Anchor effortlessly slides across the beam on its wear pads, eliminating metal-to-metal contact
- Integrated ratcheting adjustment system provides quick and easy installation and removal
- Unique guarded locking mechanism protects the anchor from accidental disengagement
- Fits I-beams from 3½" to 14" (8.75-35 cm) wide, up to 1¼" (3.125 cm) thick
- Meets all applicable OSHA and ANSI Standards

Part Number	Description
D622104700	Glyder™ 2 Sliding Beam Anchor

Fall Protection

Workman® Harnesses

- Provides comfortable protection, due to its lightweight components, durable webbing and optional shoulder pads
- All have Qwik-Fit™ chest straps and web retainer collars to keep excess webbing neat
- Construction harness includes an integral back pad with removable, tongue buckle tool belt
- Meets all applicable ANSI and OSHA Standards and CSA certified

Part Number	Description	Size
Vest Style Harness		
MSA10072479	Qwik-Fit™ Leg Buckle	Standard
MSA10072487	Tongue Buckle Leg Strap	Standard
Construction Harness		
MSA10072495	Tongue Buckle Leg Strap, Hip D-Ring	Standard
MSA10077571	Tongue Buckle, Hip D-Ring, Shoulder Pads	Standard

Workman® Construction Harness

Workman® Personal Fall Limiter (PFL)

- Durable, engineered thermoplastic housing to increase service life
- Rugged, impact-absorbing protective bumpers for added durability
- Field-replaceable lifeline option eliminates down time and reduces cost of ownership
- Lightweight design, starting at 3.5 lbs.
- 400 lb. working capacity
- A constant lock-up rate to prevent the erratic, jerky lock-up (like a seat belt) found on some types of retractables
- No annual factory re-certification required
- Integral load indicator lets you know when it is time to remove the product from service
- SRL connector with integral swivel
- Meets ANSI A10.32, all applicable OSHA standards and is CSA certified
- Units with 36C style snap-hooks meet ANSI Z359

Part Number	Line Length	PFL Connection	Lifeline Connection
MSA10093350	12′	1″ Steel Carabiner	LC Snap-hook
MSA10093353	12′	1″ Steel Carabiner	36C Snap-hook

Workman® PFL Front

Workman® PFL Back

FP5K™

MSA10072475

MSA10072474

FP5K™ Shock-Absorbing Lanyards

- Designed with a 5,000 lb. gate strength in any direction and a 1″ gate opening
- Engineered so that the lanyard can tie-back on itself eliminating the need for an anchorage connector
- Monster-Edge™ nylon 6′ adjustable length webbing boasts a 12,000 lb. minimum breaking strength and increased abrasion resistance
- Meets all applicable ANSI and OSHA Standards. CSA certified

Part Number	Description
MSA10047084	FP5K™ Single Leg Shock-Absorbing Lanyard
MSA10047085	FP5K™ Double Leg Shock-Absorbing Lanyard

Workman® Shock-Absorbing Lanyards

- Featuring a tear-tape design to keep fall arrest forces below 900 lbs.
- Lightweight with a low-profile body
- Includes a clear, durable protective cover over the labels to increase service life and allow for easy inspection
- Meets all OSHA requirements and ANSI A10.32 Standards

Part Number	Description
MSA10072474	Workman® Single Leg Lanyard
MSA10072472	Workman® Single Leg, Tie-Back Lanyard

Double D-Ring Anchorage Connecto

Anchorage Connector Strap

- Provide quick, safe anchorage for use with MSA fall arrest and confined space entry/ retrieval components
- Minimum breaking strength of 5,000 lbs.
- Standard 5′ length
- Meets all applicable ANSI and OSHA Standards

Part Number	Description
MSA505282	Nylon Strap, D-Ring and Sewn Loop

MSA10089207 *MSA10089209*

Steel Autolocking Carabiner

- To unlock, simply twist 90° and depress gate to pivot open
- Release gate to close and lock
- Choose 1″ or 2.1″ gate opening
- Meets all applicable ANSI and OSHA Standards

Part Number	Description
MSA10089207	1″ Carabiner
MSA10089209	2.1″ Carabiner

MILLER® by Honeywell

Miller® Revolution™ Harness

- PivotLink™ connection rotary design allows for greater mobility and comfort; provides an attachment point for tools and accessories sold separately
- Available with DualTech™ webbing, engineered with shape-retention memory, or Kevlar®-Nomex® webbing for welding or other harsh work environments
- ErgoArmor™ back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines
- Cam buckles allow easy, one-handed adjustment/release of shoulder straps
- Meets all applicable OSHA, ANSI and CSA Standards

Part Number	Description	Size
Miller® Revolution™ Harness with DualTech™ Webbing		
DFPRDTQCUBK	Quick-Connect Buckle Legs	Universal
Construction Miller® Revolution™ Harness with Type 10 Webbing		
DFPR10CNTBUGN	Tongue Buckle Legs	Universal

Falcon™ Self-Retracting Lifeline

- High impact-resistant housing; corrosion-resistant stainless steel and aluminum internal components
- Dual-swivels on wire rope units (unit top & snap hook); top swivel on web units
- No annual factory recertification required

Part Number	Description	Product Weight
ANSI A10.32		
DFPMP30G30FT	30' Galvanized Wire Rope	9 lbs

Grip™ Concrete Anchorage Connector

- Portable/reusable, safe anchor point when inserted into a properly-sized, cured concrete hole with a compression strength of at least 3,000 psi
- Designed for vertical or overhead/ceiling applications
- Stainless steel, aluminum and other non-corrosive materials
- May be used with SkyGrip horizontal lifeline components for a 2-worker system

Part Number	Description
DFP496	¾" Grip™ Anchorage Connector, Single User

DFP219MZ76FTGN

Manyard II Shock-Absorbing Lanyard

- Unique stretchable design keeps the 6' lanyard contracted at four feet to minimize tripping hazard
- A heavy-duty outer jacket serves as a wear indicator and back-up strap to the red inner core for added safety
- Working load of 310 pounds and features a warning flag to indicate that it has arrested a fall

Part Number	Description
ANSI A10.32	
DFP216M6FTGN	6' Manyard II Lanyard with Locking Snap Hooks
DFP219M6FTGN	6' Manyard II Lanyard with Rebar Hook
DFP231M6FTGN	Two-legged, 6' Manyard II Lanyard with Rebar Hooks
DFP232M6FTGN	Two-legged, 6' Manyard II Lanyard with Locking Snap Hooks

Twin Turbo 100% Tie-Off Systems

- Affordable alternative to shock-absorbing lanyards; no need to switch-out equipment to maintain safe fall distance
- Extremely compact and lightweight (1.9 lbs.); 6 ft. abrasion-resistant web lifeline
- Attaches directly to the harness back D-ring for greater mobility and versatility
- High-strength, impact-resistant nylon housing for maximum durability
- Built-in swivel prevents lifeline from twisting
- Rated for up to 400 lb. user; no annual factory recertification required
- Twin Turbo System replaces twin-legged shock-absorbing lanyards; Easily adapts two lightweight TurboLite™ PFLs; Units swivel in multiple directions for greater mobility; Easy to use and assemble/disassemble; Effective solution when working with low fall clearance

Part Number	Description
ANSI Z359-2007 Compliant	
DFPMFLT175FT	Twin Turbo T-BAK D-Ring Connector with 2 Turbo T-BAK Units for 100% Tie-Off Fall Protection
ANSI A10.32 Compliant	
DFPMFLB126FT	Twin Turbo D-Ring Connector & 2 TurboLite™ MFL-12/6FT Units with Aluminum Locking Rebar Hooks



ShadowLite™ Beam Anchor

ShadowLite™ Beam Anchor

- Lightweight, adjustable beam anchor; high-strength aluminum
- Fits flange sizes 3" to 14"

Part Number	Description
DFP881614	ShadowLite™ Beam Anchor

Hand Protection

RADNOR®

RAD64057129

RAD64057100

RAD64057175

RAD64057209

RAD64057389

RAD64057202

RAD64057185

RAD64057187

Brown Jersey Gloves

- Choose 100% cotton jersey or cotton/poly blend
- Soft and comfortable
- Available in two weights; 9 oz. standard or 10 oz. premium
- Clute cut with a knitwrist

Part Number	Description	Size
RAD64057133	10 oz 100% Cotton Brown Jersey	Men's
RAD64057132	10 oz 100% Cotton Brown Jersey	Ladies'
RAD64057129	9 oz 100% Cotton Brown Jersey	Men's
RAD64057128	9 oz 100% Cotton Brown Jersey	Ladies'
RAD64057334	9 oz Cotton/Poly Brown Jersey	Men's

Cotton Canvas Gloves

- Choose from cotton/poly blend or 100% cotton in three different weights; 8 oz., 10 oz. or 12 oz.
- 8 oz. cotton/poly with PVC dots on palm side and back of thumb, and forefinger for improved grip and longer wear
- Comfortable work gloves for protection in light-duty applications
- Clute cut

Part Number	Description	Size
RAD64057100	8 oz Cotton/Poly, Knitwrist	Men's
RAD64057101	8 oz Cotton/Poly, Knitwrist	Ladies'
RAD64057102	10 oz Cotton/Poly, Knitwrist	Men's
RAD64057107	12 oz Cotton/Poly, Knitwrist	Men's
RAD64057110	8 oz 100% Cotton, Knitwrist	Men's
RAD64057104	10 oz 100% Cotton, Knitwrist	Men's
RAD64057114	12 oz 100% Cotton, Knitwrist	Men's
RAD64057125	8 oz Dotted Cotton Canvas, Knitwrist	Men's
RAD64057124	8 oz Dotted Cotton Canvas, Knitwrist	Ladies'

Cotton Corded Double Palm Gloves

- 18 oz. mediumweight poly/cotton fully corded
- Corduroy exterior resists oil and dirt
- Available in white, or choose hi-vis green or orange for nighttime or use in low-light conditions
- Clute cut with knitwrist

Part Number	Description	Size
RAD64057389	18 oz Cotton Corded Double Palm Canvas, White	Large
RAD64057282	18 oz Cotton Corded Double Palm Canvas, Hi-Vis Orange	Large
RAD64057283	18 oz Cotton Corded Double Palm Canvas, Hi-Vis Green	Large

Quilted Cotton Double Palm Gloves

- 100% cotton palm with blended cotton/poly back, cuff and lining
- Double palm provides improved wear and comfort
- Nap-In fabric for abrasion resistance or Nap Out for heat protection
- Clute cut

Part Number	Description	Size
RAD64057202	16 oz Nap-In, Double Palm Knitwrist	Men's
RAD64057203	16 oz Nap-In, Double Palm Band Top	Men's
RAD64057200	18 oz Nap-Out, Double Palm Band Top	Men's
RAD64057201	18 oz Nap-Out, Double Palm Gauntlet	Men's

Natural White String Knit Gloves

- Cotton/polyester blend
- Ambidextrous for longer wear
- Great for warehousing, general maintenance, parts handling, assembly and food processing

Part Number	Description	Size
RAD64057175	Natural Lightweight String	Men's
RAD64057176	Natural Lightweight String	Ladies'
RAD64057181	Natural Mediumweight String	Men's
RAD64057182	Natural Mediumweight String	Ladies'
RAD64057178	Natural Heavyweight String	Men's
RAD64057179	Natural Heavyweight String	Ladies'
RAD64057209	Gray Mediumweight String	Men's
RAD64057208	Gray Mediumweight String	Ladies'
RAD64057211	Gray Heavyweight String	Men's
RAD64057212	Gray Heavyweight String	Ladies'

PVC Dot String Gloves

- Mediumweight cotton/polyester blend
- PVC dots on one side for a great grip, or two sides for longer wear
- Washable

Part Number	Description	Size
RAD64057184	One-Sided PVC Dot	Men's
RAD64057185	One-Sided PVC Dot	Ladies'
RAD64057187	Two-Sided PVC Dot	Men's
RAD64057188	Two-Sided PVC Dot	Ladies'

RADNOR®

Economy Leather Palm Work Gloves

- Economy grade split leather
- Reinforced leather knuckle strap, pull tab, full index finger and fingertips
- Striped canvas back and starched safety cuff

Part Number	Description	Size
RAD64057593	Economy Leather Palm, Safety Cuff	Men's
RAD64057594	Economy Leather Palm, Safety Cuff	Ladies'
RAD64057518	Economy Leather Palm, Gauntlet Cuff	Men's

RAD64057593

Leather Palm Work Gloves

- Three grades of leather available
- Striped canvas back with reinforced leather knuckle strap, pull tab, full index finger and fingertips
- Full feature gunn cut with wing thumb

Part Number	Description	Size
RAD64057522	Shoulder Leather Palm, Safety Cuff	Large
RAD64057523	Shoulder Leather Palm, Safety Cuff	XLarge
RAD64057541	Select Shoulder Leather Palm, Safety Cuff	Large
RAD64057542	Select Shoulder Leather Palm, Safety Cuff	XLarge
RAD64057546	Select Shoulder Leather Palm, Gauntlet Cuff	Large
RAD64057547	Select Shoulder Leather Palm, Gauntlet Cuff	XLarge
RAD64057550	Premium Select Shoulder, Safety Cuff	Large
RAD64057551	Premium Select Shoulder, Safety Cuff	XLarge
RAD64057530	Shoulder Double Leather Palm, Safety Cuff	Large
RAD64057531	Shoulder Double Leather Palm, Safety Cuff	XLarge
RAD64057596	Shoulder Double Leather Palm, Gauntlet Cuff	Large
RAD64057597	Shoulder Double Leather Palm, Gauntlet Cuff	XLarge
RAD64057902	Premium Select Double Leather Palm, Safety Cuff	Large
RAD64057905	Premium Select Double Leather Palm, Gauntlet Cuff	Large
RAD64057525	Select Shoulder Full Leather Back, Safety Cuff	Large
RAD64057526	Select Shoulder Full Leather Back, Gauntlet Cuff	Large

RAD64057546

RAD64057541

Grain Palm/Split Leather Back Cowhide Drivers Gloves

- Unlined grain cowhide palm for durability with split leather back
- Sewn with Kevlar® thread for added strength
- Keystone thumb
- Shirred elastic back and slip-on cuff with color-coded hem for size identification

Part Number	Description	Size
RAD64057443	Grain /Split Cowhide, Keystone Thumb	Small
RAD64057444	Grain /Split Cowhide, Keystone Thumb	Medium
RAD64057445	Grain /Split Cowhide, Keystone Thumb	Large
RAD64057446	Grain /Split Cowhide, Keystone Thumb	XLarge
RAD64057447	Grain /Split Cowhide, Keystone Thumb	2XLarge

RAD64057530

Leather Grades



RAD64057525

RAD64057526

RAD64057445

Hand Protection

RADNOR®

Radnor® Grain Pigskin Drivers Gloves

- Unlined grain pigskin offers unparalleled abrasion resistance, is extremely breathable and resists moisture to remain pliable
- Premium styles provide improved consistency and quality
- Choice of straight or keystone thumb
- Shirred elastic back and slip-on cuff with color-coded hem for size identification

Part Number	Description	Size
RAD64057464	Grain Pigskin, Straight Thumb	Small
RAD64057465	Grain Pigskin, Straight Thumb	Medium
RAD64057466	Grain Pigskin, Straight Thumb	Large
RAD64057467	Grain Pigskin, Straight Thumb	XLarge
RAD64057095	Grain Pigskin, Keystone Thumb	Small
RAD64057096	Grain Pigskin, Keystone Thumb	Medium
RAD64057097	Grain Pigskin, Keystone Thumb	Large
RAD64057098	Grain Pigskin, Keystone Thumb	XLarge
RAD64057468	Premium Grain Pigskin, Keystone Thumb	Small
RAD64057469	Premium Grain Pigskin, Keystone Thumb	Medium
RAD64057470	Premium Grain Pigskin, Keystone Thumb	Large
RAD64057471	Premium Grain Pigskin, Keystone Thumb	XLarge

Radnor® WATCH YOUR HANDS Grain Cowhide Drivers Gloves

- Unlined grain cowhide
- Flame retardent Hi-Vis orange fingertips and a Hi-Vis reminder to WATCH YOUR HANDS
- Flexible keystone thumb construction
- Shirred elastic back and slip-on cuff with color-coded hem for size identification

Part Number	Description	Size
RAD64057042	WATCH YOUR HANDS Cowhide Drivers	Small
RAD64057043	WATCH YOUR HANDS Cowhide Drivers	Medium
RAD64057044	WATCH YOUR HANDS Cowhide Drivers	Large
RAD64057045	WATCH YOUR HANDS Cowhide Drivers	XLarge

TILLMAN™

The Brand Pros Demand

TRUEFIT

Tillman TrueFit™ Grain Goatskin Gloves

- Double stitched, reinforced fingertip backs for heavy wear area protection
- Reinforced thumb to protect severe stress areas
- *Rough side out* reinforced palm for longer life and better grip
- Nylon spandex back for precision fit
- Elastic cuff with hook and loop closure provides secure fit

Part Number	Description	
TIL1470S	TrueFit™ Grain Goatskin	Small
TIL1470M	TrueFit™ Grain Goatskin	Medium
TIL1470L	TrueFit™ Grain Goatskin	Large
TIL1470XL	TrueFit™ Grain Goatskin	XLarge
TIL14702X	TrueFit™ Grain Goatskin	2XLarge

Radnor® Combo Split/Grain Cowhide Premium Drivers Gloves

- Consistent and thicker leather for strength and comfort
- Stronger premium threads for durable seams
- Keystone thumb allows for maximum flexibility
- Improved workmanship for long lasting wear
- Improved tapered fit

Part Number	Description	Size
RAD64057340	Combo Split/Grain Cowhide	Small
RAD64057341	Combo Split/Grain Cowhide	Medium
RAD64057342	Combo Split/Grain Cowhide	Large
RAD64057343	Combo Split/Grain Cowhide	XLarge
RAD64057344	Combo Split/Grain Cowhide	2XLarge

Radnor® Grain Cowhide Drivers Gloves

- Unlined grain cowhide is the most commonly used grain leather having good abrasion resistance
- Choice of straight or keystone thumb
- Premium styles provide a more uniform thickness and tensile strength for improved durability
- Shirred elastic back and slip-on cuff with color-coded hem for size identification

Part Number	Description	Size
RAD64057400	Grain Cowhide, Straight Thumb	Small
RAD64057401	Grain Cowhide, Straight Thumb	Medium
RAD64057402	Grain Cowhide, Straight Thumb	Large
RAD64057403	Grain Cowhide, Straight Thumb	XLarge
RAD64057406	Grain Cowhide, Keystone Thumb	Small
RAD64057407	Grain Cowhide, Keystone Thumb	Medium
RAD64057408	Grain Cowhide, Keystone Thumb	Large
RAD64057409	Grain Cowhide, Keystone Thumb	XLarge
RAD64057487	Grain Cowhide, Keystone Thumb	2XLarge
RAD64057851	Premium Grain Cowhide, Keystone Thumb	Small
RAD64057852	Premium Grain Cowhide, Keystone Thumb	Medium
RAD64057853	Premium Grain Cowhide, Keystone Thumb	Large
RAD64057854	Premium Grain Cowhide, Keystone Thumb	XLarge

Radnor® Slip-On Mechanics Gloves

- Synthetic leather palm
- Padded two-way stretch spandex back
- Shirred elastic back
- Slip-on cuff for easy on/off

Part Number	Description	Size
RAD64057351	Slip-On Mechanics, Black/Gray	Medium
RAD64057352	Slip-On Mechanics, Black/Gray	Large
RAD64057353	Slip-On Mechanics, Black/Gray	XLarge
RAD64057354	Slip-On Mechanics, Black/Gray	2XLarge

Radnor® Light-Duty Mechanics Gloves

- Synthetic leather made by Clarino®
- Padded two-way stretch spandex back
- Reinforced fingertips
- Hook and loop cuff for secure fit

Part Number	Description	Size
RAD64057356	Light-Duty Mechanics, Black/Gray	Medium
RAD64057357	Light-Duty Mechanics, Black/Gray	Large
RAD64057358	Light-Duty Mechanics, Black/Gray	XLarge
RAD64057359	Light-Duty Mechanics, Black/Gray	2XLarge

Ansell

Ansell HyFlex® 11-600 Gloves

- Ultra-cool black stretch nylon liner palm dipped with a gray polyurethane coating
- The protection of a glove with virtually bare-handed dexterity
- Ideal for handling of electronic components and precision assembly

Part Number	Description	Size
ANE11-600-6GRY	HyFlex® 11-600	6
ANE11-600-7GRY	HyFlex® 11-600	7
ANE11-600-8GRY	HyFlex® 11-600	8
ANE11-600-9GRY	HyFlex® 11-600	9
ANE11-600-10GRY	HyFlex® 11-600	10
ANE11-600-11GRY	HyFlex® 11-600	11

Ansell HyFlex® 11-801 Gloves

- Patented Knitted Variable Stitch Design (KVS provides a relaxed fit in high stress areas
- Molds naturally to the hand, helping reduce hand fatigue
- Black foam nitrile coating channels oil away from the glove surface for sure grip in light oil applications
- Industry-friendly color hides dirt and grime to increase time between laundry cycles

Part Number	Description	Size
ANE11-801-6	HyFlex® 11-801	6
ANE11-801-7	HyFlex® 11-801	7
ANE11-801-8	HyFlex® 11-801	8
ANE11-801-9	HyFlex® 11-801	9
ANE11-801-10	HyFlex® 11-801	10
ANE11-801-11	HyFlex® 11-801	11

PROTECTIVE INDUSTRIAL PRODUCTS

PIP MaxiFlex® Endurance by atg® Gloves

PIP34-844

PIP34-845

- 15 Gauge gray seamless knit nylon liner
- Black micro-foam ntirile coated palm and finger tips (34-844) and black micro-foam nitrile ¾ coated palm, full finger and knuckles (34-845)
- Unique NitriDot technology on palm for excellent grip
- Ultra-cool and very comfortable to wear, breathable coating keeps hands cool and dry
- Excellent dexterity, sensitivity and tactility
- Designed to produce minimal lint and dust
- Minimal penetration (strike through) keeps the liner soft on the inside of the glove

Part Number	Description	Size
PIP34-844/XS	MaxiFlex® Endurance by atg®, Palm Coated	XSmall
PIP34-844/S	MaxiFlex® Endurance by atg®, Palm Coated	Small
PIP34-844/M	MaxiFlex® Endurance by atg®, Palm Coated	Medium
PIP34-844/L	MaxiFlex® Endurance by atg®, Palm Coated	Large
PIP34-844/XL	MaxiFlex® Endurance by atg®, Palm Coated	XLarge
PIP34-845/XS	MaxiFlex® Endurance by atg®, ¾ Coated	XSmall
PIP34-845/S	MaxiFlex® Endurance by atg®, ¾ Coated	Small
PIP34-845/M	MaxiFlex® Endurance by atg®, ¾ Coated	Medium
PIP34-845/L	MaxiFlex® Endurance by atg®, ¾ Coated	Large
PIP34-845/XL	MaxiFlex® Endurance by atg®, ¾ Coated	XLarge

RADNOR®

Radnor® Economy Polyurethane Palm Coated Gloves

RAD64056368

- Seamless 13 gauge nylon knit liner
- PU palm coating is light for outstanding tactility and dexterity to reduce hand fatigue
- Coating provides a high level of abrasion resistance

Part Number	Description	Size
RAD64056366	Black PU Palm Coated, Black Liner	Small
RAD64056367	Black PU Palm Coated, Black Liner	Medium
RAD64056368	Black PU Palm Coated, Black Liner	Large
RAD64056369	Black PU Palm Coated, Black Liner	XLarge

Radnor® Economy Foam Nitrile Palm Coated Gloves

RAD64056003

- Seamless 13 gauge nylon knit liner
- Black foam nitrile palm coating provides improved grip in wet or light oil applications
- Gray shell helps to conceal dirt and promote longer wear

Part Number	Description	Size
RAD64056000	Black Foam Nitrile Palm Coated, Gray Liner	XSmall
RAD64056001	Black Foam Nitrile Palm Coated, Gray Liner	Small
RAD64056002	Black Foam Nitrile Palm Coated, Gray Liner	Medium
RAD64056003	Black Foam Nitrile Palm Coated, Gray Liner	Large
RAD64056004	Black Foam Nitrile Palm Coated, Gray Liner	XLarge
RAD64056005	Black Foam Nitrile Palm Coated, Gray Liner	2XLarge

PROTECTIVE INDUSTRIAL PRODUCTS

PIP MaxiFlex® Ultimate by atg® Gloves

PIP34-874

PIP34-875

- 15 Gauge gray seamless knit nylon with Lycra® liner
- Black micro-foam nitrile coated palm and finger tips (34-874) and black micro-foam nitrile ¾ coated palm, full finger and knuckles (34-875)
- Ultra-cool and very comfortable to wear, breathable coating keeps hands cool and dry
- Designed to produce minimal lint and dust; excellent dry grip
- Minimal penetration (strike through) keeps the liner soft on the inside of the glove
- Silicone-free

Part Number	Description	Size
PIP34-874/XS	MaxiFlex® Ultimate by atg®, Palm Coated	XSmall
PIP34-874/S	MaxiFlex® Ultimate by atg®, Palm Coated	Small
PIP34-874/M	MaxiFlex® Ultimate by atg®, Palm Coated	Medium
PIP34-874/L	MaxiFlex® Ultimate by atg®, Palm Coated	Large
PIP34-874/XL	MaxiFlex® Ultimate by atg®, Palm Coated	XLarge
PIP34-874/XXL	MaxiFlex® Ultimate by atg®, Palm Coated	2XLarge
PIP34-875/XS	MaxiFlex® Ultimate by atg®, ¾ Coated	XSmall
PIP34-875/S	MaxiFlex® Ultimate by atg®, ¾ Coated	Small
PIP34-875/M	MaxiFlex® Ultimate by atg®, ¾ Coated	Medium
PIP34-875/L	MaxiFlex® Ultimate by atg®, ¾ Coated	Large
PIP34-875/XL	MaxiFlex® Ultimate by atg®, ¾ Coated	XLarge

RADNOR®

RAD64056350

RAD64056503

RAD64057011

RAD64056518

RAD64057878

Radnor® Nitrile Palm Coated Gloves

- Seamless white 13 gauge nylon knit liner offers high level of dexterity
- Durable gray nitrile coating resists abrasion and repels oil for improved grip
- Good for general purpose assembly and parts handling

Part Number	Description	Size
RAD64056348	Gray Nitrile Palm Coated, White Liner	Small
RAD64056349	Gray Nitrile Palm Coated, White Liner	Medium
RAD64056350	Gray Nitrile Palm Coated, White Liner	Large
RAD64056351	Gray Nitrile Palm Coated, White Liner	XLarge

Radnor® Air Infused PVC Palm Coated Gloves

- Seamless black 15 gauge nylon knit liner provides great dexterity
- Blue Air Infused PVC coating draws moisture and liquid away from the surface for superior wet grip
- Open back for ventilation and wearer comfort

Part Number	Description	Size
RAD64056501	Blue PVC Palm Coated, Black Liner	Small
RAD64056502	Blue PVC Palm Coated, Black Liner	Medium
RAD64056503	Blue PVC Palm Coated, Black Liner	Large
RAD64056504	Blue PVC Palm Coated, Black Liner	XLarge

Radnor® Economy Latex Coated String Gloves

- Economical white cotton/poly 7 cut string knit shell
- Light latex palm coating help improve grip for material handling
- Offers dexterity, comfort and breathability at a great price

Part Number	Description	Size
RAD64057011	Rubber Coated String	Men's
RAD64057012	Rubber Coated String	Ladies'

Radnor® Gray Latex Coated String Gloves

- Seamless gray 10 gauge cotton/poly string knit shell
- Textured latex coating on the palm and fingertips for enhanced wet or dry grip
- Gray color helps hide dirt, while the latex coating provides puncture and abrasion resistance
- Non-coated back sustains ventilation

Part Number	Description	Size
RAD64057876	Latex Coated String, Gray with Black	Small
RAD64057877	Latex Coated String, Gray with Black	Medium
RAD64057878	Latex Coated String, Gray with Black	Large
RAD64057879	Latex Coated String, Gray with Black	XLarge
RAD64056516	Latex Coated String, Gray with Blue	Small
RAD64056517	Latex Coated String, Gray with Blue	Medium
RAD64056518	Latex Coated String, Gray with Blue	Large
RAD64056519	Latex Coated String, Gray with Blue	XLarge

SHOWA BEST GLOVE

SHOWA Atlas® Fit 300 Gloves

- Natural rubber palm coating with wrinkle grip
- Gray with blue coating
- 10 Gauge seamless knitted liner
- Ergonomic shape
- Excellent wet and dry grip
- Machine washable

Part Number	Description	Size
B13300S-07	SHOWA® Atlas® Fit 300	Small
B13300M-08	SHOWA® Atlas® Fit 300	Medium
B13300L-09	SHOWA® Atlas® Fit 300	Large
B13300XL-10	SHOWA® Atlas® Fit 300	XLarge
B13300XXL-11	SHOWA® Atlas® Fit 300	2XLarge

Honeywell

Honeywell NorthFlex Foamed PVC Palm Coated Gloves

- 15 Gauge seamless nylon shell with a foam PVC palm coating
- Provides exceptional grip, particularly in wet conditions
- Provides good mechanical properties, including impressive abrasion resistance
- Soft and flexible coating does not compromise tactility and dexterity
- Contains no reaction-causing, natural rubber proteins
- Snug knitwrist

Part Number	Description	Size
NOSNF11/7S	NorthFlex Red™	Small
NOSNF11/8M	NorthFlex Red™	Medium
NOSNF11/9L	NorthFlex Red™	Large
NOSNF11/10XL	NorthFlex Red™	XLarge

SHOWA® Atlas Fit® 350 Gloves

- Nitrile palm coating with textured grip
- Gray with green coating
- 10-Gauge seamless knitted liner
- Ergonomic shape and abrasion resistant
- Machine washable

Part Number	Description	Size
B13350S-07	SHOWA® Atlas Fit® 350	Small
B13350M-08	SHOWA® Atlas Fit® 350	Medium
B13350L-09	SHOWA® Atlas Fit® 350	Large
B13350XL-10	SHOWA® Atlas Fit® 350	XLarge

SHOWA Atlas® KV300 Gloves

- Flat dipped blue natural rubber palm coating with a wrinkle grip
- 10-Gauge seamless cut-resistant liner made with DuPont™ Kevlar®
- Excellent wet and dry wrinkle grip

3 ANSI CUT LEVEL

Part Number	Description	Size
B13KV300S-07	SHOWA Atlas® KV300	Small
B13KV300M-08	SHOWA Atlas® KV300	Medium
B13KV300L-09	SHOWA Atlas® KV300	Large
B13KV300XL-10	SHOWA Atlas® KV300	XLarge

Ansell HyFlex® 11-510 Gloves

- DuPont™ Kevlar® stretch liner offers cut protection with an ergonomic fit
- Patented Knitted Variable Stitch Design (KVSD) provides improved fit by releasing tension in high stress zones of the glove
- Patented zonal nylon and DuPont™ Kevlar® technology increases abrasion resistance on the palm and back of hand
- ComfortFlex padded cuff provides a soft feel and sweat absorption
- Proprietary nitrile foam technology provides longer wear in thumb crotch and palm area
- Silicone-free and latex free for worker and product protection

2 ANSI CUT LEVEL

Part Number	Description	Size
ANE11-510-6	HyFlex® 11-510	6
ANE11-510-7	HyFlex® 11-510	7
ANE11-510-8	HyFlex® 11-510	8
ANE11-510-9	HyFlex® 11-510	9
ANE11-510-10	HyFlex® 11-510	10
ANE11-510-11	HyFlex® 11-510	11

Ansell HyFlex® 11-627 Gloves

- Gray DSM Dyneema® and Lycra® liner promotes a cool and comfortable feeling
- Gray polyurethane palm coating provides excellent abrasion protection versus other coatings
- Excellent grip and effective control in dry to minimally oily environments

2 ANSI CUT LEVEL

Part Number	Description	Size
ANE11-627-6	HyFlex® 11-627	6
ANE11-627-7	HyFlex® 11-627	7
ANE11-627-8	HyFlex® 11-627	8
ANE11-627-9	HyFlex® 11-627	9
ANE11-627-10	HyFlex® 11-627	10
ANE11-627-11	HyFlex® 11-627	11

SHOWA® 541 HPPE High Performance Gloves

- 13 Gauge engineered cut-resistant fiber with polyurethane coating offers increased cut protection and is lint free
- Polyurethane palm coating breathes and provides exceptional grip
- Ideal where high dexterity, tactility and cut-resistance are required

2 ANSI CUT LEVEL

Part Number	Description	Size
B13541-S	SHOWA®541 High, Black	Small
B13541-M	SHOWA®541 High, Black	Medium
B13541-L	SHOWA®541 High, Black	Large
B13541-XL	SHOWA®541 High, Black	XLarge
B13541-XXL	SHOWA®541 High, Black	2XLarge

PIP GREAT WHITE® 19-D622 Gloves

- Dyneema®/Lycra® white seamless shell
- Gray polyurethane coated palm and fingers for superior puncture and abrasion resistance
- Washable, resistant to chemicals, water and ultraviolet light
- Silicone-free

2 ANSI CUT LEVEL

Part Number	Description	Size
PIP19-D622/XS	GREAT WHITE® 19-D622	XSmall
PIP19-D622/S	GREAT WHITE® 19-D622	Small
PIP19-D622/M	GREAT WHITE® 19-D622	Medium
PIP19-D622/L	GREAT WHITE® 19-D622	Large
PIP19-D622/XL	GREAT WHITE® 19-D622	XLarge
PIP19-D622/XXL	GREAT WHITE® 19-D622	2XLarge

Hand Protection

RADNOR®

Radnor® Premium Side Split Cowhide Insulated Welders Gloves with Double Reinforced Thumb

- Premium side split cowhide
- Cotton/foam lining for moisture absorption and heat resistance or cold weather use
- Kevlar® sewn for added strength with fully welted fingers to protect stitching from burn and abrasion
- Double reinforced wing thumb gives extra protection on key thumb stress area to maximize wear

Part Number	Description	Size
RAD64057663	Blue 14" Premium Insulated, Carded	Medium
RAD64057661	Blue 14" Premium Insulated, Carded	Large
RAD64057664	Blue 14" Premium Insulated, Carded	XLarge

TILLMAN™

The Brand Pros Demand

TIL850

TIL750

Tillman™ Top Grain Elk Welders Gloves

- Top grain elk back and palm construction offers superior comfort and performance
- Elk molds to the shape of hands and stays softer under high heat conditions
- Naturally resistant to oils and moisture, so it won't crack or stiffen as quickly as cowhide
- 14" gloves feature cotton/foam lining on the back of the glove for added heat resistance and an unlined palm to maximize dexterity
- Cuffs are stiff cowhide to avoid rolling down or bunching up
- Fingers are welted and sewn with Kevlar® thread to protect seams
- Straight thumb design is best for gripping and is reinforced for longer wear
- Pull tab provides easy on/off and extra protection while dragging a welding gun

Part Number	Description	Size
TIL850S	Gold 14" Elk Welders, Carded	Small
TIL850M	Gold 14" Elk Welders, Carded	Medium
TIL850L	Gold 14" Elk Welders, Carded	Large
TIL850XL	Gold 14" Elk Welders, Carded	XLarge
TIL750S	Pearl 14" Elk Welders, Carded	Small
TIL750M	Pearl 14" Elk Welders, Carded	Medium
TIL750L	Pearl 14" Elk Welders, Carded	Large
TIL750XL	Pearl 14" Elk Welders, Carded	XLarge

RAD64057601

RAD64057606

Radnor® Shoulder Split Cowhide Welders Gloves

- Standard shoulder split cowhide
- Features wing thumb, cotton lining, cotton stitching and fully welted fingers

Part Number	Description	Size
RAD64057601	Pearl 14" Shoulder Welders, Carded	Large
RAD64057606	Brown 14" Shoulder Welders, Carded	Large

Radnor® Select Shoulder Split Cowhide Welders Gloves with Reinforced Thumb

- Select shoulder split cowhide
- Features reinforced straight thumb for added protection and strength
- Cotton lined for comfort and moisture absorption
- Kevlar® sewn for added strength and heat resistance with fully welted finge to protect stitching from burn and abrasion
- Sold per pair

Part Number	Description	Size
RAD64057631	Brown 14" Select Welders, Carded	Large

RAD64057646

Slightly Select Shoulder Split Cowhide Insulated Welders Gloves with Reinforced Thumb

- Slightly select shoulder split cowhide
- Cotton/foam lining for moisture absorption and heat resistance or cold weather use
- Kevlar® sewn for added strength with fully welted fingers to protect stitching from burn and abrasion
- Reinforced wing thumb protects high stress area for added durability

RAD64057641

Part Number	Description	Size
RAD64057646	Brown 14" Slightly Select Insulated, Carded	Large
RAD64057641	Blue 14" Slightly Select Insulated, Carded	Large

Premium Side Split Cowhide Insulated Welders Gloves with Reinforced Thumb

- Premium side split cowhide
- Cotton/foam lining for moisture absorption and heat resistance or cold weather use
- Kevlar® sewn for added strength with fully welted fingers to protect stitching from burn and abrasion
- Reinforced wing thumb protects high stress area for added durability

Part Number	Description	Size
RAD64057651	Blue 14" Premium Insulated, Carded	Large

Tillman™ Premium Top Grain Kidskin TIG Welders Gloves

- Made from premium pearl top grain kidskin
- Offer superior feel, dexterity and wearability as they allow wire to pass smoothly against the leather
- Sewn with heat-resistant Kevlar® thread for tough durability
- Straight thumb design allows for optimum gripping

Part Number	Description	Size
TIL24DS	Kidskin TIG Welders, 2" Cuff, Carded	Small
TIL24DM	Kidskin TIG Welders, 2" Cuff, Carded	Medium
TIL24DL	Kidskin TIG Welders, 2" Cuff, Carded	Large
TIL24DXL	Kidskin TIG Welders, 2" Cuff, Carded	XLarge
TIL24CS	Kidskin TIG Welders, 4" Cuff, Carded	Small
TIL24CM	Kidskin TIG Welders, 4" Cuff, Carded	Medium
TIL24CL	Kidskin TIG Welders, 4" Cuff, Carded	Large
TIL24CXL	Kidskin TIG Welders, 4" Cuff, Carded	XLarge

Tillman™ Premium Top Grain Pigskin TIG Welders Gloves

- Made of top grain pearl pigskin, resists oil and water
- 4" Cuff for added protection
- Straight thumb
- Includes lock stitching with Kevlar® thread for added strength

Part Number	Description	Size
TIL30S	Top Grain Pigskin TIG Welders	Small
TIL30M	Top Grain Pigskin TIG Welders	Medium
TIL30L	Top Grain Pigskin TIG Welders	Large
TIL30XL	Top Grain Pigskin TIG Welders	XLarge

Radnor® Grain Cowhide MIG Welders Gloves

- Grain cowhide welders
- Sewn with strong heat resistant Kevlar® thread
- 4" Russet split leather cowhide cuff
- Gunn construction and wing thumb
- Gloves provide excellent fit and dexterity

Part Number	Description	Size
RAD64057864	Grain Cowhide MIG Welders, Russet	Medium
RAD64057865	Grain Cowhide MIG Welders, Russet	Large
RAD64057866	Grain Cowhide MIG Welders, Russet	XLarge

Tillman™ Heavyweight Top Grain Cowhide MIG Welders Gloves

- Heavy-duty top grain cowhide MIG welders, excellent for handling
- Wing thumb design and seamless forefinger for enhanced feel
- Kevlar® stitching and 4" split leather cowhide cuff offer added protection

Part Number	Description	Size
TIL1350S	Top Grain Cowhide MIG Welders, Carded	Small
TIL1350M	Top Grain Cowhide MIG Welders, Carded	Medium
TIL1350L	Top Grain Cowhide MIG Welders, Carded	Large
TIL1350XL	Top Grain Cowhide MIG Welders, Carded	XLarge

Tillman™ Heavyweight Top Grain Pigskin MIG Welders Gloves

- Soft but extremely durable heavyweight top grain pigskin MIG welders for excellent protection in wet and oily welding conditions
- Extra strong seams are sewn with Kevlar® thread with maximum number of stitches per inch
- Straight thumb provides the best gun grip and 4" cuff length adds protection
- Unlined for enhanced dexterity

Part Number	Description	Size
TIL32S	Pigskin MIG Welders, Carded	Small
TIL32M	Pigskin MIG Welders, Carded	Medium
TIL32L	Pigskin MIG Welders, Carded	Large
TIL32XL	Pigskin MIG Welders, Carded	XLarge

TILLMAN™ The Brand Pros Demand

TIL24C

TILLMAN™ The Brand Pros Demand

TIL30

RADNOR®

RAD64057865

TILLMAN™ The Brand Pros Demand

TIL1350

TILLMAN™ The Brand Pros Demand

TIL32

TILLMAN™ The Brand Pros Demand

TIL550X

TIL550

Tillman™ Welding Back Hand Pads

550 Hand Pad- Standard Double Layer Protection

- Aluminized Carbon Kevlar® top
- Vermiculite coated fiberglass bottom
- Leather and elastic straps
- 7½"H x 5½"W

550X Hand Pad- Economy Double Layer Protection

- Aluminized Rayon top
- Acrylic coated fiberglass bottom
- Leather and elastic straps
- 7½"H x 5½"W

554 Hand Pad- Heavy-Duty Triple Layer Protection

- Aluminized Carbon Kevlar® top
- Layer of 1500°F melt, ceramic wool material in the middle
- Acrylic coated fiberglass bottom
- Leather and elastic straps
- 7½"H x 5½"W

Part Number	Description
TIL550	Standard Double Layer Welding Back Hand Pad
TIL550X	Economy Double Layer Welding Back Hand Pad
TIL554	Heavy-Duty Triple Layer Welding Back Hand Pad

RADNOR®

Radnor® Disposable Nitrile Gloves

- Textured, 100% nitrile gloves resist punctures and abrasions, and are resistant to a wide range of chemicals
- Available in 4 mil or 6 mil thickness
- Comply with FFDCA requirements for food contact
- Not for medical use
- Choose from lightly powdered or powder-free styles
- Ambidextrous, sold per dispenser box

Part Number	Description	Size	Packaged
RAD64057251	4 mil Nitrile Industrial, Lightly Powdered	Small	100/bx
RAD64057252	4 mil Nitrile Industrial, Lightly Powdered	Medium	100/bx
RAD64057253	4 mil Nitrile Industrial, Lightly Powdered	Large	100/bx
RAD64057254	4 mil Nitrile Industrial, Lightly Powdered	XLarge	100/bx
RAD64057256	4 mil Nitrile Industrial, Powder-Free	Small	100/bx
RAD64057257	4 mil Nitrile Industrial, Powder-Free	Medium	100/bx
RAD64057258	4 mil Nitrile Industrial, Powder-Free	Large	100/bx
RAD64057259	4 mil Nitrile Industrial, Powder-Free	XLarge	100/bx
RAD64057285	6 mil Nitrile Industrial, Lightly Powdered	Small	100/bx
RAD64057286	6 mil Nitrile Industrial, Lightly Powdered	Medium	100/bx
RAD64057287	6 mil Nitrile Industrial, Lightly Powdered	Large	100/bx
RAD64057288	6 mil Nitrile Industrial, Lightly Powdered	XLarge	100/bx
RAD64057289	6 mil Nitrile Industrial, Powder-Free	Small	100/bx
RAD64057290	6 mil Nitrile Industrial, Powder-Free	Medium	100/bx
RAD64057291	6 mil Nitrile Industrial, Powder-Free	Large	100/bx
RAD64057292	6 mil Nitrile Industrial, Powder-Free	XLarge	100/bx

Ansell

Ansell Sol-Vex® Premium Unsupported Nitrile Gloves

- High performance nitrile compound that provides outstanding strength and chemical resistance
- High levels of flexibility, comfort and dexterity
- Sand patch surface texture improves grip, especially with wet or slippery objects
- Complies with FDA food handling requirements (21 CFR 177.2600)

Part Number	Description	Size
ANE37-175-6	Sol-Vex® 13" Flock Lined, 15 mil	6
ANE37-175-7	Sol-Vex® 13" Flock Lined, 15 mil	7
ANE37-175-8	Sol-Vex® 13" Flock Lined, 15 mil	8
ANE37-175-9	Sol-Vex® 13" Flock Lined, 15 mil	9
ANE37-175-10	Sol-Vex® 13" Flock Lined, 15 mil	10
ANE37-175-11	Sol-Vex® 13" Flock Lined, 15 mil	11
ANE37-155-7	Sol-Vex® 13" Unlined, 15 mil	7
ANE37-155-8	Sol-Vex® 13" Unlined, 15 mil	8
ANE37-155-9	Sol-Vex® 13" Unlined, 15 mil	9
ANE37-155-10	Sol-Vex® 13" Unlined, 15 mil	10
ANE37-155-11	Sol-Vex® 13" Unlined, 15 mil	11

Radnor® Disposable Industrial Latex Gloves

- 9½", 5 mil disposable latex gloves are ambidextrous with a rolled cuff
- Select from lightly powdered or powder-free styles, both available with smooth or textured finish
- Meets FFDCA requirements for food contact
- Not for use in medical applications
- Sold per dispenser box

Part Number	Description	Size	Packaged
RAD64057880	5 mil, Powdered, Textured	Small	100/bx
RAD64057881	5 mil, Powdered, Textured	Medium	100/bx
RAD64057882	5 mil, Powdered, Textured	Large	100/bx
RAD64057883	5 mil, Powdered, Textured	XLarge	100/bx
RAD64057884	5 mil, Powder-Free, Textured	Small	100/bx
RAD64057885	5 mil, Powder-Free, Textured	Medium	100/bx
RAD64057886	5 mil, Powder-Free, Textured	Large	100/bx
RAD64057887	5 mil, Powder-Free, Textured	XLarge	100/bx



Smooth



Semi-Rough

RAD64057804
12"

Radnor® Economy PVC Gloves (Interlock Lined)

- Black economy PVC over cotton knit interlock lining
- Choose from smooth or semi-rough textured finish

Part Number	Description	Finish	Size
RAD64057800	Knitwrist	Smooth	Large
RAD64057801	Knitwrist	Semi-Rough	Large
RAD64057802	10" Gauntlet	Smooth	Large
RAD64057803	10" Gauntlet	Semi-Rough	Large
RAD64057804	12" Gauntlet	Smooth	Large
RAD64057805	12" Gauntlet	Semi-Rough	Large
RAD64057806	14" Gauntlet	Smooth	Large
RAD64057807	14" Gauntlet	Semi-Rough	Large
RAD64057808	18" Gauntlet	Smooth	Large

OccuNomix Value Contoured Hard Cap Knee Pads

- Ideal for most surfaces. Abrasion resistant and great for pivoting
- EVA foam padding provides support and protection
- PE plastic hard cap
- Durable polyester and tricot fabrics
- Comfortable
- Adjustable hook and loop closure
- Sold by the pair

Part Number	Description
OCC125	Value Contoured Hard Cap Knee Pads

Ergodyne #350 Gel Knee Pads

- 1680D Ballistic Nylon outer shell for puncture resistance
- 12mm NBR gel padding and 20mm EVA padding
- 420D Nylon and Hypalon rubber composite pad
- Slip-resistant durable nylon-rubber surface
- Adjustable, breathable neoprene stretch strap
- Hook and loop closure
- Sold per pair

Part Number	Description
E5718350	#350 Gel Knee Pads

Ergodyne #347 Long Cap Honeycomb Gel Knee Pads

- Patented suspension design redirects pressure away from the patella
- Patented cover design delivers stability on all terrain and surfaces
- 10mm Honeycomb Gel and EVA foam for lightweight comfort
- Long cap design optimizes stability
- Upper and lower elastic straps with hook and loop closure
- Sold by the pair

Part Number	Description
E5718347	#347 Long Cap Honeycomb Gel Knee Pads

Ergodyne #355 Short Cap Injected Gel Knee Pads

- Patented suspension design redirects pressure away from the patella
- Patented cover design delivers stability on all terrain and surfaces
- Injected Gel and PU foam for long lasting comfort
- Short cap design for lightweight, mobile protection
- Snap-on cap is easily removed for 2-in-1 knee pad
- Upper and lower elastic strap with hook and loop closure
- Sold by the pair

Part Number	Description
E5718355	#355 Short Cap Injected Gel Knee Pads

Ergodyne ProFlex® 1650 Economy Elastic Back Supports

- 7½" economical, all-elastic body
- 5" single strap closure
- Non-conductive polypropylene stays
- Rubber track webbing
- Stretchable bias binding with zig-zag stitching
- Adjustable, detachable suspenders

Part Number	Description	Size
E5711092	ProFlex® 1650 Economy Belt	Small (25"-30")
E5711093	ProFlex® 1650 Economy Belt	Medium (30"-34")
E5711094	ProFlex® 1650 Economy Belt	Large (34"-38")
E5711095	ProFlex® 1650 Economy Belt	XLarge (38"-42")
E5711096	ProFlex® 1650 Economy Belt	2XLarge (42"-46"

E5718350

OccuNomix Elastic Wrist Supports

- 3" wide elastic wrap with elastic thumb loop makes individual application and tension adjustment easy
- Universal size with hook and loop closure allows desired fit and compression
- Black. Ambidextrous

Part Number	Description	Size
OCC311-068	Wrist Support without Thumb Loop	Universal
OCC311-L68	Wrist Support with Thumb Loop (shown)	Universal

OccuNomix Elastic Ergo Wrist Assist™ Wrap

- Hook and loop closure provides desired fit and comfort
- Universal size

Part Number	Description	Size
OCC310-LY8	310 Wrist Wrap	Universal

Standard Cuff

Boot

Hood

RADNOR®

Radnor® Pro-2 Coveralls

- Microporous Film Laminated to Spunbonded Polypropylene
- Good unabraded barrier garment for non-hazardous dry particles and liquid splash in general industrial environments
- Lightweight and soft, yet strong, with a laminate film. Anti-static, low linting barrier material for non-hazardous dry particles and liquids
- Protection from non-hazardous particles and liquids in process chemical handling and agricultural chemical mixing applications
- Mid-Level barrier protection against non-hazardous particle, light liquid splash and aerosols while unabraded
- **Key needs:** Comfort, Superior, Durability, Cleanliness, Low Cost

Part Number	Description	Size
RAD64053200	Pro-2 Standard Coveralls with Zipper Front	Large
RAD64053201	Pro-2 Standard Coveralls with Zipper Front	XLarge
RAD64053202	Pro-2 Standard Coveralls with Zipper Front	2XLarge
RAD64053203	Pro-2 Standard Coveralls with Zipper Front	3XLarge
RAD64053204	Pro-2 Standard Coveralls with Zipper Front	4XLarge
RAD64053270	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	Large
RAD64053271	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	XLarge
RAD64053272	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	2XLarge
RAD64053273	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	3XLarge
RAD64053274	Pro-2 Coveralls Elastic Wrists and Ankles, Hood	4XLarge
RAD64053220	Pro-2 Coveralls Elastic Wrists, Hood and Boots	Large
RAD64053221	Pro-2 Coveralls Elastic Wrists, Hood and Boots	XLarge
RAD64053222	Pro-2 Coveralls Elastic Wrists, Hood and Boots	2XLarge
RAD64053223	Pro-2 Coveralls Elastic Wrists, Hood and Boots	3XLarge
RAD64053224	Pro-2 Coveralls Elastic Wrists, Hood and Boots	4XLarge

Part Number	Description	Size	Packaged
DPPTY120SWHMD00	Tyvek® Standard Coveralls	Medium	25/ca
DPPTY120SWHLG00	Tyvek® Standard Coveralls	Large	25/ca
DPPTY120SWHXL00	Tyvek® Standard Coveralls	XLarge	25/ca
DPPTY120SWH2X00	Tyvek® Standard Coveralls	2XLarge	25/ca
DPPTY120SWH3X00	Tyvek® Standard Coveralls	3XLarge	25/ca
DPPTY120SWH4X00	Tyvek® Standard Coveralls	4XLarge	25/cs
DPPTY120SWH5X00	Tyvek® Standard Coveralls	5XLarge	25/cs
DPPTY127SWHMD00	Tyvek® Coveralls with Hood/Elastic	Medium	25/ca
DPPTY127SWHLG00	Tyvek® Coveralls with Hood/Elastic	Large	25/ca
DPPTY127SWHXL00	Tyvek® Coveralls with Hood/Elastic	XLarge	25/ca
DPPTY127SWH2X00	Tyvek® Coveralls with Hood/Elastic	2XLarge	25/ca
DPPTY127SWH3X00	Tyvek® Coveralls with Hood/Elastic	3XLarge	25/cs
DPPTY127SWH4X00	Tyvek® Coveralls with Hood/Elastic	4XLarge	25/cs
DPPTY127SWH5X00	Tyvek® Coveralls with Hood/Elastic	5XLarge	25/cs
DPPTY122SWHMD00	Tyvek® Coveralls with Hood/Boot	Medium	25/ca
DPPTY122SWHLG00	Tyvek® Coveralls with Hood/Boot	Large	25/ca
DPPTY122SWHXL00	Tyvek® Coveralls with Hood/Boot	XLarge	25/ca
DPPTY122SWH2X00	Tyvek® Coveralls with Hood/Boot	2XLarge	25/ca
DPPTY122SWH3X00	Tyvek® Coveralls with Hood/Boot	3XLarge	25/cs
DPPTY122SWH4X00	Tyvek® Coveralls with Hood/Boot	4XLarge	25/cs
DPPTY122SWH5X00	Tyvek® Coveralls with Hood/Boot	5XLarge	25/cs

Standard Coveralls

Coveralls with Hood/Booties

DuPont™ Tyvek®

DuPont™ Tyvek® Coveralls

- DuPont™ Tyvek® provides inherent barrier protection against dry particulate hazards, including mold, lead and asbestos
- Excellent abrasion resitance, Tyvek® stops sub-micron particles down to one micron
- Also available with elastic wrist and ankles
- Meets ANSI 101-1996 sizing regulations
- Packaged 25 per case
- Sold individually

Choose from four popular styles:

Standard Coveralls: zipper front with collar, open end sleeves and ankles
Coveralls with Hood/Elastic: zipper front closure, elastic at the wrists and ankles and an attached, elastic hood
Coveralls with Hood/Boot: all of the above features with the addition of attached skid-resistant booties

- *Booties must be worn inside protective outer footwear*

RADNOR®

Leather Cape Sleeve and Bib

- Durable side split bourbon brown leather is specially tanned for heat resistance
- Cape Sleeve seams are double lock-stitched with Kevlar®, and snaps are black anodized to prevent arc flashback
- Cape Sleeve also features one soapstone pocket on each sleeve, adjustable wrists, rust-resistant plated hardware and rivet-reinforced stress points
- Snap attachment Bibs feature a side release buckle
- Cape Sleeve and Bib sold separately

Part Number	Description	Size
RAD64055070	Leather Cape Sleeve	Small
RAD64055071	Leather Cape Sleeve	Medium
RAD64055072	Leather Cape Sleeve	Large
RAD64055073	Leather Cape Sleeve	XLarge
RAD64055074	Leather Cape Sleeve	2XLarge
RAD64055075	Leather Cape Sleeve	3XLarge
RAD64055076	Leather Cape Sleeve	4XLarge
RAD64055079	Leather Bib – Fits Cape Sleeves Small-XLarge	14"
RAD64055085	Leather Bib – Fits Cape Sleeves Small-XLarge	20"
RAD64055091	Leather Bib – Fits Cape Sleeves Small-XLarge	24"
RAD64055080	Leather Bib – Fits Cape Sleeves 2XLarge-3XLarge	14"
RAD64055086	Leather Bib – Fits Cape Sleeves 2XLarge-3XLarge	20"
RAD64055092	Leather Bib – Fits Cape Sleeves 2XLarge-3XLarge	24"

Leather Jacket

- Specially tanned for heat resistance
- 30" Leather Jacket is made of soft, durable bourbon brown side split leather
- Kevlar® double lock-stitched seams add heat resistance and strength
- Underarm gussets allow freedom of movement while adjustable snaps at wrists and back customize fit
- Features include convenient outside pocket, soapstone pockets on each sleeve, plated hardware to prevent rust, leather reinforced black anodized snaps and rivet reinforced stress points

Part Number	Description	Size
RAD64055062	30" Leather Jacket	Medium
RAD64055063	30" Leather Jacket	Large
RAD64055064	30" Leather Jacket	XLarge
RAD64055065	30" Leather Jacket	2XLarge
RAD64055066	30" Leather Jacket	3XLarge
RAD64055067	30" Leather Jacket	4XLarge

Leather Bib Apron

- Specially tanned side split cowhide provides greater resistance and added protection from sparks and spatter
- Features two chest pockets, crossed back straps and molded side release buckles for easy on/off

Part Number	Description	Size
RAD64055140	Bib Apron	24" x 30"
RAD64055141	Bib Apron	24" x 36"
RAD64055142	Bib Apron	24" x 42"
RAD64055143	Bib Apron	24" x 48"

Leather Shoe Protectors

- Premium side split cowhide and all Kevlar® stitching
- Provide durabilty and are highly heat-resistant
- Ankle High Protectors close with leather straps and snaps
- 7" Shoe Protectors feature hook and loop closures
- Leather legging tucks into bicycle style spring steel clip which forms sturdy frame around leg to keep legging in position
- Sold per pair

Part Number	Description	Size
RAD64055156	Leather Shoe Protectors (not shown)	Ankle High
RAD64055157	Leather Shoe Protectors	7"
RAD64055158	Leather Legging w/spring steel clip	15"

Leather Cape Sleeve and Bib



Leather Jacket

Leather Legging

7" Shoe Protector

RADNOR®

Mediumweight FR Cotton Jacket w/Leather Sleeves

- 30" jacket offers the ideal combination of comfort and protection
- Body constructed of flame retardant 9 oz. royal blue 100% cotton, Proban® FR7A® with anodized button snaps
- Sleeves are made of premium quality side split cowhide, specially tanned for heat resistance
- Spacious inside pocket and soap stone pocket on each sleeve
- Sleeve seams are double lock-stitched with Kevlar® thread and feature double leather reinforced button snaps
- Key stress points are rivet reinforced

Part Number	Description	Size
RAD64055160	30" FR Cotton Jacket w/Leather Sleeves	Small
RAD64055161	30" FR Cotton Jacket w/Leather Sleeves	Medium
RAD64055162	30" FR Cotton Jacket w/Leather Sleeves	Large
RAD64055163	30" FR Cotton Jacket w/Leather Sleeves	XLarge
RAD64055164	30" FR Cotton Jacket w/Leather Sleeves	2XLarge
RAD64055165	30" FR Cotton Jacket w/Leather Sleeves	3XLarge
RAD64055166	30" FR Cotton Jacket w/Leather Sleeves	4XLarge

Lightweight Flame Retardant Cotton Jacket

- Protects against sudden flame exposure and light sparks
- FR Jackets are made of Proban® FR7A® 100% cotton fabric
- Proban® FR7A® is designed to self extinguish when exposed to flame or thermal ignition sources
- Designed for light-duty welding only
- Fabric will not shrink, melt or drip molten residues
- Jackets are cool, comfortable and washable
- Lightweight 9 oz. cotton

Part Number	Description	Size
RAD64054960	30" 9 oz FR Cotton Jacket	Small
RAD64054961	30" 9 oz FR Cotton Jacket	Medium
RAD64054962	30" 9 oz FR Cotton Jacket	Large
RAD64054963	30" 9 oz FR Cotton Jacket	XLarge
RAD64054964	30" 9 oz FR Cotton Jacket	2XLarge
RAD64054965	30" 9 oz FR Cotton Jacket	3XLarge
RAD64054966	30" 9 oz FR Cotton Jacket	4XLarge

2¼" Elastic at Both Ends

Standard Elastic at Both Ends

Standard Elastic, Snap at Wrist

Flame Retardant Cotton Sleeves

- Proban® FR7A® flame retardant 100% cotton is designed for light-duty welding only and will self extinguish when exposed to flame or thermal ignition sources
- Fabric will maintain its flame resistance for up to 50 home washings
- Sold per pair

Part Number	Description	Length
2¼" Elastic at Both Ends		
RAD64054953	9 oz FR Cotton Sleeves	18"
RAD64054954	9 oz FR Cotton Sleeves	23"
Standard Elastic at Both Ends		
RAD64054950	9 oz FR Cotton Sleeves	18"
RAD64054952	9 oz FR Cotton Sleeves	23"
Standard Elastic, Snap at Wrist		
RAD64054951	9 oz FR Cotton Sleeves	18"

Stanco SAFETY PRODUCTS™

STNNX4681

STNFRI681

Stanco Nomex® IIIA Flame Resistant Coveralls

- 4.5 oz Nomex IIIA contractor style coverall
- Constructed with two-way brass zipper front closure, two front, rear and breast pockets and concealed snap closures
- Full action back provides comfortable full shoulder and arm movement
- Coverall has elastic waistband take-up and five-thread safety stitch for durability
- Inherently flame resistant for the life of the garment.
- Flame resistant properties will not wash or wear out
- Available in navy blue (NB), tan (TN), royal blue (RB) and orange (OR),
- Specify color and size when ordering

Part Number	Description	Size	Color
STNNX4681	4.5 oz Nomex® Coveralls	Medium-3XLarge	Specify

Stanco INDURA® Flame Resistant Coveralls

- 9 oz, 100% cotton, contractor style coverall
- Constructed with two-way brass zipper front closure, two front, rear and breast pockets and concealed snap closures
- Full action back provides comfortable full shoulder and arm movement
- Coverall has elastic waistband take-up for snugness and comfort and five-thread safety stitch for durability
- Flame resistant properties for the life of the garment if proper laundering instructions are followed
- Available in navy blue (NB), tan (TN) royal blue (RB) and orange (OR),
- Specify color and size when ordering

Part Number	Description	Size	Color
STNFRI681	9 oz INDURA® Coveralls	Medium-3XLarge	Specify

Bulwark® FR

Bulwark® 9 oz. EXCEL FR® Classic Coverall

- EXCEL FR® Flame-resistant, 9 oz. 100% cotton
- Arc Rating ATPV 10.6 calories/cm²
- Two-way concealed Nomex® taped brass break-away zipper, concealed snap at top of zipper at neck
- One-piece, topstitched, lay-flat collar
- Hemmed sleeves
- Two set-in front pockets, one chest pocket and two patch hip pockets
- Side vent openings
- Care: Home and Industrial wash
- Available in Khaki (KH) and Navy (NV)
- Specify size (even sizes) and color when ordering

Part Number	Description	Color	Size	Length
R30CEC2KH	9 oz. EXCEL FR® Classic Coverall	Khaki	38-64	Regular
R30CEC2NV	9 oz. EXCEL FR® Classic Coverall	Navy	38-64	Regular

Nomex®

Modacrylic Nomex®

Ultra Soft®

NSA TIONAL SAFETY APPAREL®

NSA® Balaclava Knitted Hoods

- Provides flexibility, warmth, with excellent breathability and ARC protection
- Designed with contoured eyehole to be worn with an ARC shield or ARC goggles
- Available in UltraSoft® and Modacrylic Nomex® meet HRC 2
- Comfortable bib for added neck and shoulder protection

Part Number	Description
N33H31NK	Nomex® Balaclava Hood
N33H11RY	12 cal/cm² Navy Ultra Soft® Balaclava Hood
N33H61MH	15 cal/cm² Beige Modacrylic Nomex® Balaclava Hood

Ansell

Ansell Kevlar® Knit Sleeves

- Double-layered sleeve is knit from 100% DuPont™ Kevlar® fiber for cut resistance and light heat protection
- Available with or without a thumb slot
- DuPont™ Kevlar® knit sleeve provides flexible, comfortable protection for automotive, glass and metal fabricating applications
- Sold individually

Part Number	Description
ANE70-128-18	18" Kevlar® Knit, without Thumb Slot
ANE70-118-18	18" Kevlar® Knit with Thumb Slot

High Visibility Vests

RADNOR®

Radnor® High Visibility Class 2 Mesh Vest

- 100% lightweight mesh polyester fabric
- Two 360° horizontal and two vertical shoulder stripes of 2" wide 3M™ Scotchlite™ reflective tape
- Hook and loop closure
- Meets ANSI 107-2004 Class 2 Standard

Part Number	Description	Size
RAD64055957	Class 2 Mesh Vest, Yellow	Medium
RAD64055958	Class 2 Mesh Vest, Yellow	Large
RAD64055959	Class 2 Mesh Vest, Yellow	XLarge
RAD64055960	Class 2 Mesh Vest, Yellow	2XLarge
RAD64055961	Class 2 Mesh Vest, Yellow	3XLarge

Radnor® High Visibility Economy Class 2 Mesh Vests

- 100% lightweight mesh polyester fabric
- One 360° horizontal and two vertical shoulder stripes of 2" wide ANSI compliant reflective tape
- Hook and loop closure
- Meets ANSI 107-2004 Class 2 Standard

Part Number	Description	Size
RAD64055921	Class 2 Economy Mesh Vest, Yellow	Small/Medium
RAD64055922	Class 2 Economy Mesh Vest, Yellow	Large/XLarge
RAD64055923	Class 2 Economy Mesh Vest, Yellow	2XLarge/3XLarge
RAD64055925	Class 2 Economy Mesh Vest, Orange	Small/Medium
RAD64055926	Class 2 Economy Mesh Vest, Orange	Large/XLarge
RAD64055927	Class 2 Economy Mesh Vest, Orange	2XLarge/3XLarge

Radnor® High Visibility Class 2 Surveyor's Vest

- 100% lightweight solid polyester fabric
- Two 360° horizontal and two vertical shoulder stripes of 2" wide 3M™ Scotchlite™ reflective tape
- Fully dielectric, non-conductive zipper
- Twelve pockets – nine outside and three inside
- Meets ANSI 107-2004 Class 2 Standard

Part Number	Description	Size
RAD64055943	Class 2 Surveyor's Vest, Yellow	Medium
RAD64055944	Class 2 Surveyor's Vest, Yellow	Large
RAD64055945	Class 2 Surveyor's Vest, Yellow	XLarge
RAD64055946	Class 2 Surveyor's Vest, Yellow	2XLarge
RAD64055947	Class 2 Surveyor's Vest, Yellow	3XLarge
RAD64055950	Class 2 Surveyor's Vest, Orange	Medium
RAD64055951	Class 2 Surveyor's Vest, Orange	Large
RAD64055952	Class 2 Surveyor's Vest, Orange	XLarge
RAD64055953	Class 2 Surveyor's Vest, Orange	2XLarge
RAD64055954	Class 2 Surveyor's Vest, Orange	3XLarge

OccuNomix

CLASS 2 THIRD PARTY CERTIFIED MEETS ANSI 107-2010

ANSI CLASS 2

OccuNomix® Classic Mesh Surveyor Vests

- 100% ANSI Polyester Mesh
- 2" Silver reflective tape: One 360° horizontal stripe, two vertical stripes
- Pockets: 2 inside lower w/ pen compartment, 4 pen on outside right chest, 1 outside left double w/ 4 pen compartments
- Zipper closure
- Meets ANSI 107-2010 Class 2 Standard

Part Number	Description	Size
OCCSSGCS-YS/M	Classic Mesh Surveyor, Yellow	Small/Medium
OCCSSGCS-YL/XL	Classic Mesh Surveyor, Yellow	Large/XLarge
OCCSSGCS-Y2/3X	Classic Mesh Surveyor, Yellow	2XLarge/3XLarge
OCCSSGCS-OS/M	Classic Mesh Surveyor, Orange	Small/Medium
OCCSSGCS-OL/XL	Classic Mesh Surveyor, Orange	Large/XLarge
OCCSSGCS-O2/3X	Classic Mesh Surveyor, Orange	2XLarge/3XLarge

CLASS 2 THIRD PARTY CERTIFIED MEETS ANSI 107-2010

ANSI CLASS 2

OccuNomix® Classic Mesh Two-Tone Vests

- 100% ANSI Polyester Mesh
- 2" Silver reflective tape: One 360° horizontal stripe, two vertical stripes backed by ANSI compliant trim
- Pockets: one inside left chest with hook and loop closure, one outside lower
- Zipper closure
- Meets ANSI 107-2010 Class 2 Standard

Part Number	Description	Size
OCCSSCLC2Z-YM	Classic Mesh Two-Tone, Yellow	Medium
OCCSSCLC2Z-YL	Classic Mesh Two-Tone, Yellow	Large
OCCSSCLC2Z-YXL	Classic Mesh Two-Tone, Yellow	XLarge
OCCSSCLC2Z-Y2X	Classic Mesh Two-Tone, Yellow	2XLarge
OCCSSCLC2Z-Y3X	Classic Mesh Two-Tone, Yellow	3XLarge



Tuff Nougies™ Traditional Welder's Cap

- 100% 9 oz. cotton canvas with a cotton terry-foam backed 360° sweatband
- Balloon top and bendable bill
- One-size-fits-all
- Sold by the each, assortment is sold 12 each per pack

Part Number	Description	Size
OCCTN8-06-ONE	Black Welder's Cap	One Size
OCCTN8-FLA-ONE	Big Flames Welder's Cap	One Size
OCCTN8-WAV-ONE	Wavy Flag Welder's Cap	One Size
OCCTN8-12-ONE	Assorted Welder's Cap, 12 each/pk	One Size

Snap-On Sweatband for Headgear

- 100% cotton sweatbands snap-on to surround headgear quickly and easily
- Absorbent without being washed first, and are machine washable
- Sold individually

Part Number	Description
OCC870B100-15	Beige Sweatband
OCC870B100-01	Navy Sweatband

MiraCool® Bandanas, Headbands and Tie Hats

- MiraCool® technology keeps your neck or head cool all day long
- 100% cotton with cooling crystals absorb water to work with the evaporation process
- Soak product in cold water 10-20 minutes before use
- Choose from a variety of colors and patterns
- Headband and Tie Hats are designed for one-size-fits-all comfort around the head, as well as quick and easy tying

Part Number	Description
OCC940-CRD	Cowboy Red Bandana
OCC940-018	Navy Bandana
OCC940-CBL	Cowboy Blue Bandana
OCC940-BDN	Blue Denim Bandana
OCC940-WAV	Wavy Flag Bandana
OCC940-SS	Stars and Stripes Bandana
OCC940-OLD	Old Glory Bandana
OCC940-LYO	Assorted Bandanas 12/pk
OCC954-018	Navy Headband
OCC954-BDN	Blue Denim Headband
OCC954-WAV	Wavy Flag Headband
OCC952-018	Navy Tie Hat

Traditional Absorbent Cellulose Sweatbands

- Provides cool relief under hard hats, welding helmets and sandblast hoods
- Absorbent cellulose bands absorb perspiration while allowing evaporation to cool the head
- Dip in water, squeeze out and wear
- Deluxe sweatbands are thicker and more absorbent
- Sold per pack

Part Number	Description	Packaged
OCCSBR100	Regular Sweatband	100/pk
OCCSBD100	Deluxe Sweatband	100/pk

Terry Toppers®

- Hard hat sweatband installs in an instant
- Bend the edges over the hard hat suspension; no fumbling with snaps
- Metal stays are insulated, and the single napped navy cotton terry encases a layer of foam for 8mm thick absorbency
- Headband is double napped navy terry with a middle layer of 12 mm foam and an elastic band in the rear
- Both are machine washable and reversible
- Sold individually

Part Number	Description
OCC880-01	Sweatband
OCC885-01	Headband

MiraCool® Hard Hat Pad

- Soak MiraCool® Hard Hat Pad in cold water 10-20 minutes before use
- Keeps cool all day long, navy fabric hides dirt
- Easily installed and removed with hook and loop

Part Number	Description
OCC968-018	Hard Hat Pad



RADNOR®

Corduroy collar for comfort

Jacket with storm flap front

Vented cape for breathability

Detachable hood with drawstring

Watertight welded seams

Two slash reach-through flap pockets



Bib style pants with snap fly front and adjustable suspenders

Radnor® Three-Piece Rain Suit

- Durable .35 mm PVC over polyester construction
- Vented cape back and underarm vents to keep you cool
- Take up snaps at wrists, ankles, and waist for tapered fit
- Welded seams and non-corrosive hardware
- Ideal for general purpose industrial applications

Part Number	Description	Size
RAD64055911	Three-Piece Suit	M (38-40)
RAD64055912	Three-Piece Suit	L (42-44)
RAD64055913	Three-Piece Suit	XL (46-48)
RAD64055914	Three-Piece Suit	2XL (50-52)
RAD64055915	Three-Piece Suit	3XL (54-56)
RAD64055916	Three-Piece Suit	4XL (58-60)

RIVER CITY GARMENTS
An MCR Safety Brand

River City™ Dominator Protective Clothing

- Specially designed high tensile strength polyester double coated with 2 thick layers of PVC for a combined thickness of .42 mm
- Flame resistant to ASTM D6413
- Offers the best protection against many chemicals and acids
- Ideal for chemical plants, refineries, and environmental clean-ups
- Jacket features a detachable hood, double enclosed zipper front, and inner sleeves with elastic wrist closure
- No fly bib pants have a 10" x 10" reinforced crotch for longer wear and full elastic suspenders
- One piece coverall features zipper front with double storm flap, attached hood with drawstring closure, 10" x 10" reinforced crotch and inner sleeves with elastic wrist closure
- Sold individually, please specify size when ordering

Part Number	Description	Size
RCR388J	Dominator Jacket with Detachable Hood	Medium-3XLarge
RCR388BF	Dominator Bib Pants, No Fly	Medium-3XLarge
RCR3881	Dominator Coveralls with Attached Hood	Medium-3XLarge

LACROSSE®

LaCrosse® Trac-Lite™ Full Metatarsal Guard Boots

- Ozone-resistant, abrasion-resistant rubber offers 100% waterproof protection
- ZXT rubber is a premium compound of rubber that has a high tensile strength, which means greater tear-resistance and greater durability
- Steel toe meets and exceeds ASTM F2413-05 Section 1/75; Section 2 for Metatarsal Protection and Section 5 for Puncture Resistance
- Trac-Lite™ outsole delivers outstanding all-around traction in mud, snow and other loose terrain
- Contoured heel prevents heel slippage and gives you a more ridged fit

Part Number	Description	Size
RAI00228260	16" Black Trac-Lite™ Metatarsal Boot	6-16

RADNOR®

Radnor® Economy PVC Boots

- Unique scalloped top line design combined with graduated heights helps eliminate chaffing in the calf area
- Tailored fit in the vamp and heel areas help prevent blisters
- Contour molded insole helps reduce fatigue
- Sole is designed for durability and traction
- Available in steel toe and plain toe
- Black only

Part Number	Description	Size
RAD64055859 thru 69	Steel Toe Economy PVC Boot	5-15

Radnor® Rubber Over-The-Shoe-Boots

- Designed for use in a wide variety of applications
- 17" yellow upper is constructed of hand-layered rubber and is specially formulated to stretch over work shoes
- Easy on/off is aided by a tough, comfortable fabric inner lining
- Side strap can be adjusted to keep out irritating and harmful substances
- Black ribbed outsole provides good traction
- Yellow only

Part Number	Description	Size
RAD64055841 thru 49	Rubber Over-The-Shoe-Boot	8-16

RADNOR®

Construction First Aid Kits

- Kits provide a wide variety of first aid items to meet the requirements of most injuries encountered in a construction environment
- Bulk construction kits are economical, waterproof made of tough polypropylene
- These kits are latex free and comply to OSHA 1926.50 requirements
- Kits are ANSI Z308.1-2009 compliant

Part Number	Description	Size
RAD64058027	10-Person Construction Kit	8"W x 5⅛"H x 2¾"D
RAD64058028	25-Person Construction Kit	9½"W x 6⅝"H x 2⅝"D
RAD64058029	50-Person Construction Kit	9½"W x 9½"H x 3½"D

Heavy-Use Industrial First Aid Kits

- Heavy-use, steel first aid stations contain additional items needed for job sites that require extra protection from minor cuts and abrasions
- All full stations include door pockets and a first aid booklet
- Wall mount for quick, easy access
- Smaller two and three shelf cabinets are lightweight for portability
- Great for machine shops, auto shops and construction sites
- All general purpose bulk kits are ANSI Z308.1-2009 compliant

Part Number	Description	Size
RAD64058000	Five-Shelf First Aid Kit	19½"W x 28¼"H x 6⅝"D
RAD64058001	Four-Shelf First Aid Kit	15"W x 22"H x 5½"D
RAD64058004	Three-Shelf First Aid Kit	15"W x 17"H x 5½"D
RAD64058006	Two-Shelf First Aid Kit	10½"W x 15½"H x 4¾"D

General Purpose Bulk First Aid Kits

- Kits contain economic bulk supplies that can be readily accessed when needed
- Ideal for manufacturing settings where a wide variety of first aid items are required
- Image shown may vary from actual fill
- All general purpose bulk kits are ANSI Z308.1-2009 compliant

Part Number	Description	Size
RAD64058020	10-person Cabinet	10 7/16"W x 5"H x 2½"D
RAD64058008	25-person Cabinet	10½"W x 5"H x 2½"D
RAD64058009	50-person Cabinet	10½"W x 10½"H x 2½"D
RAD64058010	75-person Cabinet	15½"W x 10½"H x4¾"D
RAD64058011	100-person Cabinet	17"W x 15"H x 5½"D

Unitized First Aid Kits

- These sturdy and durable kits are waterproof and equipped with carrying handles and mounting brackets for versatile mounting throughout the facility
- Color-coded cartons hold individually sealed unit dose applications
- Color codes are as follows: yellow for bandages and compresses, orange for personal protection, blue for antiseptics and wound cleansers, red for burn treatment and green for special or miscellaneous items
- Kits are ANSI Z308.1-2009 compliant

Part Number	Description	Size
RAD64058021	10-Unit Plastic Kit	7 5/16"W x 4⅝"H x 2⅜"D
RAD64058022	16-Unit Plastic Kit	6 5/16"W x 9 1/16"H x 2⅜"D
RAD64058023	24-Unit Plastic Kit	9 3/16"W x 9 3/16"H x 2¾"D
RAD64058024	10-Unit Metal Kit	7 5/16"W x 4⅝"H x 2⅜"D
RAD64058025	16-Unit Metal Kit	6 5/16"W x 9 1/16"H x 2⅜"D
RAD64058026	24-Unit Metal Kit	9 3/16"W x 9 3/16"H x 2¾"D

Metal Kits Shown

First Aid Products

NORTH®
by Honeywell

Swift Heavy-Duty Woven Adhesive Bandages

- Comfortable woven fabric bandages flex to conform to every movement
- Open weave design lets skin breathe for fast healing
- Comfortable non-stick pad and a secure seal all around the wound to prevent contamination
- Heavy-duty bandages have an aggressive adhesive that will stick in grease, oil or water

Part Number	Description	Packaged
SH4010812	Fingertip XLarge	25/bx
SH4010813	Fingertip Regular	40/bx
SH4016407	⅞" x 1½"	50/bx
SH4010810	⅞" x 3"	50/bx
SH4010811	Knuckle	40/bx
SH4010819	2" x 3"	25/bx

Swift Triple Antibiotic Ointment

- Combines Bacitracin, Neomycin Sulfate, and Polymycin Sulfate for effective protection against infection from minor cuts, burns and abrasions
- Compares to Neosporin®

Part Number	Description	Packaged
SH4232124	Triple Antibiotic, 1/64 oz Packet	20 pk/bx
SH4231209G	Triple Antibiotic, 1/64 oz Packet	144 pk/bx

Swift Cedaprin

- Proven safe and effective for relief from headaches, muscular aches, menstrual cramps and minor aches and pains
- Compares to Advil®
- **Active Ingredient: Ibuprofen 200 mg**

Part Number	Description	Packaged
SH4166180	Cedaprin	50 x 2 Tablets
SH4166183	Cedaprin	125 x 2 Tablets
SH4166185	Cedaprin	250 x 2 Tablets

Swift Disposable Instant Cold Packs

- Provides temporary relief for minor swelling, sprains and strains
- Activate cold pack, then wrap in a thin cloth and apply to injured area

Part Number	Description	Size
NOS020667	Junior Cold Pack, boxed	4½" x 5¼"
SH430100K	Standard Cold Pack, boxed	6" x 9"
SH480185MK	Junior Cold Pack	5" x 6"
SH480100K	Standard Cold Pack	6" x 9"

WATERJEL TECHNOLOGIES

WaterJel® Burn Jel®

- Water-based, water-soluble thick gel soothes burn injuries and relieves pain
- Draws heat out of the burn and begins dissipating on contact
- Active ingredient: 2.0% Lidocaine

Part Number	Description	Packaged
W49BJ4-24	Burn Jel®	4 oz bottle
W49600U-1	Burn Jel® 3.5 gram Foil Packs	25/bx
W49100U-6	Burn Jel® 3.5 gram Foil Packs	6/bx

WaterJel® Sterile Burn Dressings

- Gel-soaked burn dressings stop burn progression, cool the skin, ease pain and protect against airborne contamination
- Consists of a medical grade non-woven pad soaked in a water-based, water-soluble gel
- Won't stick to burn injury
- Contains no active ingredients

Part Number	Description	Size
W490206-60	Burn Dressing	2" x 6"
W490404-60	Burn Dressing	4" x 4"
W490416-28	Burn Dressing	4" x 16"
W490818-20	Burn Dressing	8" x 18"
W490820-20	Burn Dressing for Hand Burns	8" x 20"
W491216-20	Facial Mask Burn Dressing	12" x 16"

GOJO® Scrubbing Wipes

- Heavy-duty dual textured wipes with a scrubbing side for removing tough soils and a smooth side for quick dirt absorption
- Extra large wipes for superior cleaning capacity
- Contains skin conditioners to help prevent dryness and irritation
- Quickly removes; tar, asphalt, dirt, inks, paints, polyurethane, urethanes, oils, grease, lubricant, sealants, epoxies, adhesives and caulks
- For use anywhere heavy-duty cleaning is required, no water needed

Part Number	Description	Packaged
GOJ6383-06	GOJO® Scrubbing Wipes	25 ct Canister
GOJ6396-06	GOJO® Scrubbing Wipes	72 ct Canister
GOJ6398-02	GOJO® Scrubbing Wipes	170 ct Bucket

GOJO® NATURAL* ORANGE™ Hand Cleaner

GOJO® NATURAL* ORANGE™ Smooth Hand Cleaner is a quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirts and grease.
GOJO® NATURAL* ORANGE™ Pumice Hand Cleaner is a quick-acting lotion formula with pumice scrubbing particles for cleaning a broad range of industrial soils, medium dirts and grease.
*Natural citrus ingredient with orange citrus scent

Part Number	Description	Packaged
GOJ0948-04	GOJO® NATURAL* ORANGE™ Smooth	½ gal pump
GOJ0945-04	GOJO® NATURAL* ORANGE™ Smooth	1 gal pump
GOJ0958-04	GOJO® NATURAL* ORANGE™ Pumice	½ gal pump
GOJ0955-04	GOJO® NATURAL* ORANGE™ Pumice	1 gal pump

GOJO® Cherry Gel Pumice Hand Cleaner

- Heavy-duty hand cleaner with pumice scrubbers
- Quickly cleans heavy dirt, grease and oil
- Feels great on skin while washing
- Contains skin conditioners and is pH balanced to promote skin comfort
- Provides a quick, easy and complete rinse
- Pleasant cherry fragrance eliminates soil odors and leaves hands smelling clean

Part Number	Description
GOJ2358-02	GOJO® Cherry Gel Pumice Hand Cleaner 1 Gallon Bottle with Pump Dispenser

STOKO® SkinCare

KRESTO® KWIK-WIPES®

- For quick cleaning of dirt, grease and grime when a sink is not available
- Textured wipes
- For use on skin, also great for tools and other surfaces

Part Number	Description	Packaged
S5532847	KRESTO® KWIK-WIPES®	40-ct Canister
S5528707706	KRESTO® KWIK-WIPES®	70-ct Canister
S5528700804	KRESTO® KWIK-WIPES®	130-ct Bucket
S5528700101	KRESTO® KWIK-WIPES®	100 ea/box

Dispensers

Vario Ultra®
S5555980806
Black

Max 4.0L
S5531504

KRESTO® Hand Cleaner

- Extra heavy-duty cleanser for tough soils such as grease, oil, ink and carbon black
- Contains all-natural, biodegradable walnut shell scrubbers to remove even ground-in dirt
- Low solvent content, good skin compatibility

Part Number	Description
S5530362	KRESTO ® ½ Gallon Pump Top Bottle
S5528700512	KRESTO ® 250ml
S5598704506	KRESTO ® 2000ml Softbottle
S5555980806	Vario Ultra® Dispenser for 2000ml Softbottle, Black
S5532142	KRESTO ® 4.0L Bottle
S5531504	4.0L Dispenser, Black

FEN320004620000

FEN320004600000

Honeywell

Eyesaline® Wall Station

- Provides safe, first response care until the injured person can be helped to an ANSI compliant primary emergency eyewash device
- Comes complete with wall-mounting hardware
- Single Bottle Wall Station holds one 16 or 32 oz. bottle
- Double Bottle Wall Station holds two 16 or 32 oz. bottles of sterile saline solution
- Sterile, single use bottles

Part Number	Description	Size
FEN320004600000	Single Bottle Wall Station	16 oz Bottle
FEN320004610000	Single Bottle Wall Station	32 oz Bottle
FEN320004650000	Double Bottle Wall Station	16 oz Bottle
FEN320004620000	Double Bottle Wall Station	32 oz Bottle

Eyesaline® Eyewash

- Each bottle contains sterile, buffered solution and is sealed to ensure safety
- Ideal for use in a first aid room or on a job site as a single dose unit to help remove non-toxic floating foreign matter from eyes
- Also use to relieve eye irritation due to pollen and dust particles

Part Number	Description	Size
FEN320004510000	Sperian Eyesaline® Eyewash	1 oz
FEN320004520000	Sperian Eyesaline® Eyewash	4 oz
FEN320004540000	Sperian Eyesaline® Eyewash	16 oz
FEN320004550000	Sperian Eyesaline® Eyewash	32 oz

Universal Bottle Mounting Device

- Compact and versatile mounting device has an expandable strap with magnetic adhesive backing to hold various personal eyewash bottle sizes up to 32 oz
- Fits Honeywell eyewash bottles as well as most competitor bottles
- Adhere personal eyewash bottles to walls, machines, forklifts and doors for emergency use as a workers hazardous location changes
- Sold individually

Part Number	Description
FEN320004350000	Bottle Mounting Device

Fendall Pure Flow 1000® Emergency Eyewash Station

- Easy installation with no plumbing required
- Factory-sealed fluid cartridges eliminate mixing, measuring and the opportunity for airborne particles or microorganisms to contaminate the fluid
- 24-month cartridge life (determined by date of mfg) saves time and money on replacements
- Cartridges can be replaced in less than five minutes
- Unique nozzle design delivers a soft *ribbon* of buffered saline solution
- ***Cartridges sold separately by the case***
- Meets ANSI Z-358.1-2009 15-minute flush requirement for primary eyewash stations

Part Number	Description
FEN320010000000	Fendall Pure Flow 1000® Eyewash Station
FEN320010500000	Fendall Pure Flow 1000® Saline Refill Cartridges 2ea/ca
FEN32ST10500000	Fendall Pure Flow 1000® Sterile Saline Refill Cartridges 2ea/ca
FEN320010600000	Universal Cart
FEN320010650000	Universal Eyewash Stand

Fendall *Pure Flow*1000®

Sure-grip handle provides instant, simple activation

Safety sealed; activation straps display expiration date and batch number

Cover keeps dirt and trash from collecting in the basin and nozzle

When the system is activated, the integrated cover rotates out of the flushing basin and is retained with the unit

Lockable device helps prevent tampering

Highly visible green color provides easy identification in an emergency situation

Spacious, sturdy area provides ample room for head and arms

Integral fluid reservoir captures its own waste fluid, eliminating potential safety hazards and simplifying fluid disposal

Pure Flow Sperian Saline Solution Cartridges for the Pure Flow 1000®

Streamlight® Trident HP® Headlamp

- Powered by three AAA alkaline batteries (included)
- White C4® LED technology with a 50,000 hr lifetime and three ultra-bright white LEDs with a 100,000 hr lifetime.
- C4® LED: 60 lumens, 3 LEDs: 33 lumens, 1 LED: 12 lumens
- Push button sequence through modes: one LED, three LEDs, C4® LED, off
- Adjustable elastic head strap and rubber hard hat strap
- 90º tilting head
- Runtime: C4® LED: 5 hours, 1 LED: 35 hours
- Facecap diameter: 1.86"
- IPX4 water resistant and 2 meter impact resistance tested
- Max width: 2.55"
- Max depth: 2.53 (including head strap mounting plate)
- 4.64 oz.

Part Number	Description
SD861080	Trident HP® Headlamp

Streamlight® Septor® LED Headlamp

- Powered by three AAA alkaline batteries (included)
- Seven ultra-bright 100,000 hr white LEDs
- Three modes
  - 7 LEDs -550 candela peak beam intensity, 70 lumens, 4 hour runtime
  - 3 LEDs – 300 candela peak beam intensity, 35 lumens, 8.5 hour runtime
  - 1 LED – 100 candela peak beam intensity, 13 lumens, 30 hour runtime
- Adjustable elastic head strap and rubber hard hat strap
- 90º tilting head
- Facecap diameter 1.86"
- Max width: 2.55"
- Max depth: 2.53" (including head strap mounting plate)
- 4.75 oz.

Part Number	Description
SD861052	Septor® LED Headlamp

Streamlight Jr.® LED Flashlight

- Powered by two AA alkaline batteries (included) or two AA lithium batteries
- C4® LED technology with a 50,000 hr lifetime
- Up to 3,800 candela (peak beam intensity) and 85 lumens measured system output
- Runtime to the 10% output level;
  - AA Alkaline Batteries – 4 hours
  - AA (l91) Lithium Batteries – 5.25 hours
- Push-button tail switch – momentary or constant on operation
- IPX4 rated for water resistance, 1 meter impact resistance tested
- Includes black nylon flapless holster
- 6.5" long
- 4.1 oz

Part Number	Description
SD871500	Streamlight Jr.® LED

Energizer® Industrial Batteries

- 7-year shelf life
- Equivalent to Energizer® Max
- No Mercury added - no special disposal needed

Part Number	Description	Packaged
E33EN91	AA Industrial Alkaline	4/pk
E33EN92	AAA Industrial Alkaline	4/pk
E33EN93	C Industrial Alkaline	12/pk
E33EN95	D Industrial Alkaline	12/pk
E33EN22	9 Volt Industrial Alkaline	12/pk
E33EN529	6 Volt Industrial Alkaline	Each

Radnor® Barricade Tape

- Designed to protect and identify above ground hazardous areas or elements such as construction sites, work areas, crime scenes, crowd control and any potentially dangerous areas
- All legends are printed in crisp, bold black lettering on a yellow or red polyethylene material
- 2 mil barricade tape will withstand tough environments

Part Number	Description	Size
RAD64055720	Yellow CAUTION Tape	3" x 1000'
RAD64055721	Yellow CAUTION DO NOT ENTER Tape	3" x 1000'
RAD64055722	Red DANGER Tape	3" x 1000'
RAD64055723	Red DANGER DO NOT ENTER Tape	3" x 1000'
RAD64055724	Yellow CAUTION CUIDADO Tape	3" x 1000'
RAD64055725	Red DANGER PELIGRO Tape	3" x 1000'

A61A411 A61B456 A61B500 A61B417

AMEREX

- 6 year warranty
- Fully rechargeable

Amerex® ABC Dry Chemical Extinguishers

- Stored pressure ABC or Multi-Purpose extinguishers are used for common combustibles, flammable liquids and live electrical equipment
- Dependable drawn steel construction cylinders feature aluminum valves and include mounting brackets

Part Number	Description	Ratings	Capacity
A61B417	Dry Chemical Extinguisher, Wall Bracket	1A:10B:C	2.5 lbs
A61B417T	Dry Chemical Extinguisher, Vehicle-Marine Bracket	1A:10B:C	2.5 lbs
A61B500	Dry Chemical Extinguisher, Wall Bracket	2A:10B:C	5 lbs
A61B500T	Dry Chemical Extinguisher, Vehicle-Marine Bracket	2A:10B:C	5 lbs
A61B456	Dry Chemical Extinguisher, Wall Bracket	4A:80B:C	10 lbs
A61A411	Dry Chemical Extinguisher, Wall Bracket	10A:120B:C	20 lbs

Justrite® Sure-Grip® EX Safety Cabinets

- Complies with OSHA & NFPA; FM Approved
- Haz-Alert™ reflective labeling - hazard warning in three languages
- U-Loc™ pad-lockable handle (padlock not included) allows for optional padlock for extra security
- SpillSlope™ Shelves direct spills to back and bottom of cabinets
- SpillSlope™ Shelves adjust on 3" increments
- Fail-safe 3-point self-closing stainless steel bullet latch system provides easy, positive door closure
- 18 gauge double-walled steel with 1½" of insulating air space for fire resistance
- Tracking located at both top and bottom offer smooth, effortless opening and closures for maximum convenience and safety - sliding door styles
- Powder coat paint finish
- MADE IN USA
- Includes 10 year warranty

10 Year Warranty

Part Number	Description	Size (H x W x D)
Manual Closing Doors		
JTR893000	30 Gallon, 1 Shelf	44" x 43" x 18"
JTR893300	30 Gallon, 1 Shelf	35" x 36" x 24"
JTR894500	45 Gallon, 2 Shelves	65" x 43" x 18"
JTR896000	60 Gallon, 2 Shelves	65" x 34" x 34"
JTR899000**	90 Gallon, 2 Shelves	65" x 43" x 34"
Accessories		
JTR29985	Shelf Divider Set (4) for 30 & 45 Gallon Cabinets	

***OSHA Code 29CFR 1910.106 states that not more than 60 gallongs may be Class I and II liquids.*

JUSTRITE®

Justrite® Type I Steel Safety Cans

- Stainless steel flame arrester for corrosion protection dissipates heat to prevent flashback ignition
- Long 3½" length arrester allows safe, secure placement of gas nozzle. Chemical resistant, durable stainless construction is long lasting
- Leakproof, positive pressure relief cap automatically vents to prevent rupture or explosion
- Self-closing lid controls vapors and spills
- Large ID zone permits user labeling of contents to avoid misuse, mishaps with incompatible mixtures, or to identify owner/department location
- Ergonomic counterbalance design for easy pouring with rounded, swinging comfort handle for easy carrying
- Optional 2-position durable polyethylene funnel aids in pouring
- Meets OSHA & NFPA, FM approved, UL/ULC listed, TUV Certified

10 Year Warranty

Part Number	Description	Dimensions Outer Diameter x H	Capacity
JTR7110100	Type I Red Can	9½" x 11"	1 Gallon
JTR7120100	Type I Red Can	9½" x 13¾"	2 Gallon
JTR7125100	Type I Red Can	11¾" x 11½"	2½ Gallon
JTR7150100	Type I Red Can	11¾" x 16⅞"	5 Gallon
JTR11202Y	Yellow Poly Funnel	½" x 11¼"L	–

Justrite® Type II AccuFlow™ Steel Cans

- Full compliance and features like Type I Justrite can with an added exclusive, vented AccuFlow™ manifold for the fastest, most controlled pouring
- Ergonomic offset fill port with comfort lift lever makes filling easier than ever
- Innovative AccuFlow™ mechanism features easy-to-use Safe-Squeeze® trigger for accurate control and smooth liquid flow
- Chemically resistant, long life stainless steel flame arrester offers safe, fast and efficient pouring
- Extra large ID Zone reduces misuse. Danger warning in three languages
- Flexible 9' hose available in two diameters

10 Year Warranty

Part Number	Description	Dimensions Outer Dia x H	Hose Outer Dia.	Capacity
JTR7210120	Type II AF Safety Can	9½" x 10½"	⅝"	1 Gallon
JTR7220120	Type II AF Safety Can	9½" x 13¼"	⅝"	2 Gallon
JTR7225120	Type II AF Safety Can	11¾"x 12"	⅝"	2½ Gallon
JTR7225130	Type II AF Safety Can	11¾"x 12"	1"	2½ Gallon
JTR7250120	Type II AF Safety Can	11¾" x 17½"	⅝"	5 Gallon
JTR7250130	Type II AF Safety Can	11¾" x 17½"	1"	5 Gallon

SPC 55 Gallon Drum Spill Kit

SPC ENV™ Oil Sorbent-Contactor Grade

ENV & SPC Pads Now Made with MAXX.

SPC MRO Plus™ All Purpose Sorbent

SPC Spill Kits and Drum Spill Kits

Kits available as:

- **Oil Only** for oil and petroleum based spills
- **Allwik**™ for oil, water based and chemical spills
- **Hazwik**® for aggressive liquid and hazardous material spills
- All kits include nitrile gloves
- 55 gallon chemical resistant polyethylene containers meet UN specifications

Part Number	Description	Size
BRDSKA55	55 Gallon Drum Kit, Allwik™, Lever-Lock Lid	38 gl
BRDSKO55	55 Gallon Drum Kit, Oil Only, Lever-Lock Lid	38 gl
BRDSKH55	55 Gallon Drum Kit, Hazwik®, Lever-Lock Lid	38 gl

	55 Gal Drum Kit
Pads	(50) 15" x 19"
SOC's	(4) 3" x 12"
Pillows	(8) 18" x 18"
Disposal Bags	5
Other	Goggles, Nitrile Gloves, Emergency Respiratory Handbook

SPC ENV™ Oil Sorbent-Contractor Grade

- Oil only sorbent is equally effective on land or water
- Efficient single-ply construction

Part Number	Description	Size	Absorbs/Weight	Packaged
BRDENV200	Lightweight Pads	15" x 19"	51 gl/18 lbs	200/ba
BRDENV300	Mediumweight Pads	15" x 19"	28 gl/13.5 lbs	100/ba
BRDENV100	Heavyweight Pads	15" x 19"	33 gl/16.2 lbs	100/ba
BRDENV510	Lint-Free Boom	5" x 10′	32 gl/19 lbs	4/bg
BRDENV810	Lint-Free Boom	8" x 10′	65 gl/38 lbs	4/ba
BRDENV150	Mediumweight Roll	30" x 150′	44 gl/28 lbs	1/ba

Polyfilms

Part Number	Size	Description
6 mil		
POACF0610C	10′ x 100′	Clear
POACF0612C	12′ x 100′	Clear
Flame Retardant		
TMPTMP-3	20′ x 100′	Clear, 6mil

SPC MRO Plus™ All-Purpose Sorbent

- Absorbs industrial liquids - water, petroleum and chemical-based fluids
- Three-ply construction - stronger, more durable and reduces lint
- Perforated to help you use only what you need – reduce waste
- MROP150DND features 150 heavyweight pads and unique Dispense-n-Dispose (DnD) system

Part Number	Description	Size	Absorbs/Weight	Packaged
Pads				
BRDMRO100	Heavyweight	15" x 19"	26 gl/18 lbs	100/ca
BRDMRO300	Medium Weight	15" x 19"	20.5 gl/15 lbs	100/ca
BRDMRO50	Jumbo	30" x 30"	41 gl/25 lbs	50/ba
Rolls				
BRDMRO15	15" Heavyweight Roll	15" x 150′	24 gl/16 lbs	1/ca
BRDMRO30	30" Heavyweight Roll	30" x 150′	49 gl/34 lbs	1/ca
Perforated Rolls				
BRDMRO15P	Perfed Every 18"	15" x 150′	25 gl/16 lbs	1/ca
BRDMRO30P	Perfed Every 30"	30" x 150′	50 gl/34 lbs	1/ca
Double Perforated Rolls (width perforated in half)				
BRDMRO15-DP	Perfed Every 12"	15" x 150′	24 gl/16 lbs	1/ca
BRDMRO350-DP	Medium Weight Perfed Every 15"	30" x 150′	38 gl/24 lbs	1/ca
BRDMRO30-DP	Perfed Every 15"	30" x 150′	50 gl/35 lbs	1/ca
DnD Dispense-n-Dispose System				
BRDMRO150DND	MRO100 Pads with DnD System, Universal	15" x 19"	39 gl/30 lbs	150/ca

Duct Tapes

Nashua 307 Economy Duct Tape

- General purpose uses including bundling, packaging, seaming and temporary repairs
- 7 mil thickness

Part Number	Description	Color	Size	Packaged
N01683520	307 Economy	Silver	2" x 60 yd	24 rolls/ca

Nashua 300 General Purpose Duct Tape

- Designed for more demanding applications
- High adhesion and conformability to rough surfaces
- 10 mil thickness

Part Number	Description	Color	Size	Packaged
N013000020000	300 General Purpose	Silver	2" x 60 yd	24 rolls/ca

Nashua 396 Multi-Purpose Grade Duct Tape

- General purpose duct tape with excellent adhesion to a wide variety of surfaces
- 10 mil thickness

Part Number	Description	Color	Size	Packaged
N013960020000	396 Multi-Purpose	Silver	2" x 60 yd	24 rolls/ca

Nashua 398 Industrial Grade Duct Tape

- Excellent for varied uses such as abatement, weather-proofing and overall general maintenance
- 11 mil thickness

Part Number	Description	Color	Size	Packaged
N013980020000	398 Industrial Grade	Silver	2" x 60 yd	24 rolls/ca

Product Index

Aa

Air Carbon Arc Gouging Machines.....29
Air Purifying Respirators (APR) .. 119-120
Anti-Spatter.....58
Aprons, Leather.....139
Arc Gouging.....52,53

Bb

Back Caps, TIG.....48
Back Supports.....137
Bandages.....146
Bandanas/Headbands/Tie Hats.....143
Batteries.....149
Boots.....144
Brazing
  Outfits.....7
  Tips.....18
Brushes
  Cup.....103
  Hand.....104
  Wheel.....102
Burn Relief Products.....146

Cc

C-Clamps.....65
Cables
  Connectors.....56
  Covers.....41,66
  Cutter.....57
  Hitch.....57
  Lugs.....54
  Plugs.....56
  Sockets.....56
  Welding.....57
Canister, Rod.....66
Caps and Hats.....109
Caps, Welding.....143
Carbon Arc Gouging.....29,52,53
Cartridges
  3M™ Respirators.....119
  North Respirators.....120
Check Valves.....24
Chipping Hammers.....64
Chisels.....64
Clamps
  C-Clamps.....65
  Ground.....55
  Welding.....65
Cleaners
  Hand.....147
  Welding.....59
Coated
  Abrasives.....97-101
  Cut Resistant Gloves.....133
  Gloves.....131,132
Cold Packs.....146
Collet Bodies, TIG.....49
Collets, TIG.....48
Connectors
  Cable.....56
  Whip.....56
Contact Tips, MIG.....35,38-41
Cover Plates and Lenses.....111-113
Coveralls.....138,141
Crimping Tool.....57
Cup Brushes.....103
Cut-Off
  Machine.....84
  Wheels.....84,94,95
Cutters, Mag Drills.....89
Cutting and Welding Outfits.....2-5,7
Cutting
  Attachments.....14,15
  Outfits.....6
  Tips.....16,17
  Wheels.....93
Cylinder Adapters and Fittings.....24

Dd

Deburring Tool.....63
Depressed Center Wheels.....93,96
Developers.....59
Diffusers, MIG.....37-41
Disposable
  Apparel.....138
  Earplugs.....116,117
  Gloves.....136
  Respirators.....118
Dressings, Burn.....146
Drill Bits.....85
Drivers Gloves.....129,130
Duct Tape.....151

Ee

Ear Clamps.....55
Earmuffs.....117
Earplugs.....116
Edge™ Regulators.....10
Electrode Holders.....54
Electrodes, Tungsten.....42,43
Engine Drives.....28,29
Extension Cords.....92
Extinguishers, Fire.....150
Eyewash Products.....148
Eyewear and Accessories.....108

Ff

Faceshields/Windows/Visors.....114,115
Fall Protection.....124-127
Ferrules.....21
Fiber Discs.....97,98
File, Half-Round.....66
Filler Metals.....67-83
Fire Extinguishers.....150
First Aid
  Kits.....145
  Products.....146
Flap Discs.....99-101
Flashback Arrestors.....25
Flashlights.....149
Flint Spark Lighter.....26
Flowgauges, Flowmeters and Kits..12,13
Flux Cored Wire (FCAW).....80-83
FR Clothing.....140
FR/Arc Flash Clothing.....141

Gg

Galvanizing Spray.....59
Gas Equipment.....1-27
Gauges, Weld.....62
General Purpose Coated Gloves.131,132
Gloves.....128-136
  Coated.....132
  Coated Cut Resistant.....133
  Disposable.....136
  Drivers.....129,130
  General Purpose Coated.....131,132
  KEVLAR®.....133
  Latex.....136
  Leather Palm.....129
  Mechanics.....130
  MIG/TIG Welders.....135
  Nitrile.....131,136
  PVC.....136
  TIG/MIG Welders.....135
  Welders.....134,135
Goggles, Welding.....110
Gouging Machines.....29
Gouging Torches.....52,53
Grinders
  Angle.....90-91
  Tungsten.....44
Grinding Wheels.....93,94
Ground Clamps.....55

Hh

Hammers, Chipping.....64
Hand Cleaner.....147

Hand Pads 106,135
Hand Protection 128-136
Coated Cut Resistant Gloves 133
Coated Gloves 132
Disposable Latex Gloves 136
Disposable Nitrile Gloves 136
Drivers Gloves 129,130
General Purpose Coated Gloves ... 131,132
KEVLAR® Gloves 133
Latex Gloves 136
Leather Palm Gloves 129
Mechanics Gloves 130
MIG/TIG Welders Gloves 135
Nitrile Gloves 131,136
PVC Gloves 136
TIG/MIG Welders Gloves 135
Welders Gloves 134,135
Welding Back Hand Pads 135
Handles, TIG 51
Hard Hat Cooling Pad 143
Hard Hats and Caps 109
Harnesses 124,126,127
Head and Face Protection 109-115
Headbands/Bandanas/Tie Hats 143
Headgear 110-115
Headlamps 149
Hearing Protection
Disposable Earplugs 116,117
Earmuffs 117
Reusable Earplugs 117
Heat Stress Relief 143
Heating Nozzles and Tips 19
Helmets, Welding 110-113
High Visibility Vests 142
Holders, Electrode 54
Hole Saws 87
Hoods, Arc Flash 141
Hose
Adapters and Fittings 21-23
Repair Kit 21
Welding 20,21
Hotspotter 7

Ii

Information
Arc Welding Safety 67
Fuel Gases 1
Propylene Solutions 27
Inspection
Kits 59
Mirrors 63
Instrumentation 122,123
Insulators, MIG 37,38

Jj

Jackets
FR 140
Leather 139

Kk

KEVLAR® Gloves 133
Kits, First Aid 145
Knee Pads 137

Ll

Lanyards 124,126,127
Latex Gloves 136
Leather
Apparel 139
Palm Gloves 129
Lens Cleaning Products 108
Lenses, Cover Plates 111-113
Lightnin' Bug Torch Lighter 26
Liners, MIG 36,39-41
Lugs, Cable and Terminal 54

Mm

Machine Plugs, Sockets 56
Machines 29
Air Carbon Arc Gouging 29
Engine Drives 28,29
Gouging 29
Plasma Cutting 29
Wire Feeders 28,29
Mag Drills 88,89
Mag Tool™ Holders 63
Magnetic Retrieval Tools 63
Markers 60,61
MasterGage™ Weld Gauge 62
Mechanics Gloves 130
Medicinals 146
MIG
Cable Covers 41
Contact Tips 35,38-41
Diffusers 37-41
Guns 32-34
Insulators 37,38
Liners 36,39-41
Nozzles 36,38-41
Retainers 40,41
MIG Wire (GMAW) 75-79
MRO Supplies 84-107

Nn

Nitrile Gloves 131,136
Nitrogen Purging Regulators 11
Nozzle
Gel 58
Reamer 66
Nozzles
MIG 36,38-41
TIG 50,51

Oo

Ointment, Triple Antibiotic 146
Outfits
Cutting 6
Cutting and Welding 2-5
Cutting, Weld and Brazing 7
Harris® Style 3,4,6
Smith 4
Victor® Style 2,3,5-7

Pp

Paint Markers and Pens 60,61
PAPR Respirators 121
Pencil, Welders 60
Penetrants 59
Personal Fall Limiter (PFL) 126
Pick Set 63
Pilot Drills 87
Pilots, Mag Drills 89
Plasma
Consumables 31
Cutting Machines 29
Torches 30
Pliers 66
Plugs 56
Pocket Scribes 60
Power Cords 92
Pressure Gauges 11
Protective Workwear
Back Supports 137
Footwear 144
Knee Pads 137
Rainwear 144
Wrist Supports 137
PVC Gloves 136

Qq

Quick Connect Sets 25

Product Index

Rr

Rainwear 144
Readers, Eyewear 108
Reciprocating Saw and Blades 86
Regulators 8-13
Respiratory Protection
  Accessories 120
  Air Purifying Respirators (APR) 119,120
  Disposable Respirators 118
  PAPR Respirators 121
  Supplied Air Respirators 121
Retainers, MIG 40,41
Reusable Earplugs 117
Rod Canisters 66

Ss

S Markers 61
Safety 108-151
  Barricade Tape 149
  Batteries 149
  Disposable Clothing 138
  Disposable Earplugs 116,117
  Disposable Respirators 118
  Earmuffs 117
  Eyewear 108
  Fall Protection 124-127
  Fire Extinguishers 150
  Flashlights 149
  FR Clothing 140
  FR/Arc Flash Clothing 141
  High Visibility Vests 142
  Instrumentation 122,123
  Leather Clothing 139
  Polyfilms 151
  Protective Workwear 137,144
  Respiratory Protection 119-121
  Reusable Earplugs 117
  Safety Cabinets and Cans 150
  Sorbents 151
  Spill Kits 151
  Tapes 149,151
Saw Arbors 87
Saw Blades 85,86
Scribes 60
Self-Retracting Lifelines 125,127
Shoe Protectors, Leather 139
Skin Care Products 147
Sleeves
  FR 140,141
  Leather 139
Soapstone 60
Sockets 56
Solvents 59
Sorbents 151
Stick Electrodes (SMAW) 68-72
Supplied Air Respiratory Systems 121
Supports
  Back 137
  Wrist 137
Sweatbands 143
Switches, TIG 51

Tt

Tank Wrenches 26
Tape
  Barricade 149
  Duct 151
Terminal Lugs 54
Tie Hats/Bandanas/Headbands 143
TIG
  Back Caps 48
  Collet Bodies 49
  Collets 48
  Handles 51
  Nozzles 50,51
  Rods (GTAW) 73,74
Switches 51
  Torches 45-47,51
Tip
  Cleaners 26
  Drill Kit 26
Tools
  Chipping Hammers 64
  Chisels 64
  Clamps 65
  Crimping 57
  Deburring 63
  File 66
  Hand 105-107
  Inspection Mirrors 63
  Mag Tool Holder 63
  Magnetic Retrieval 63
  Nozzle Reamer 66
  Pick Sets 63
  Pliers 66
  Weld Gauge 62
Torch
  Handles 14,15
  Kit 5,6
  Lighter 26
  Mixer 19
Torches
  Cutting 15
  Gouging 52,53
  TIG 45-47,51
Totes, Fuel 7
Tungsten
  Grinders 44
  Electrodes 42,43
  Totes 43
TurboTorch® 5
Tyvek™ Coveralls 138

Uu

Utility Knife and Blades 86

Vv

Vests, High Visibility 142
Visors/Windows/Faceshields 114,115

Ww

Weld Fillet Gauges 62
WelderHelper™ Pliers 66
Welders Gloves 134,135
Welding
  Accessories 110-113
  Cable 57
  Caps 143
  Chemicals 58,59
  Clamps 65
  Gauges 62
  Goggles 110
  Hand Pads 135
  Helmets 110-113
  Holders 63
  Hose 20,21
  Inspection Mirrors 63
  Tips 18
  Tools 62,63
Welding and Cutting Equipment 28-31
Welding Support 32-66
Welding Wheel Brushes 102
Wheels
  Cut-Off 94,95
  Cutting 93
  Depressed Center 93,96
  Grinding 93,94
Whip Connectors 56
Windows/Visors/Faceshields 114,115
Wipes
  KRESTO™ KWIK-WIPES 147
  Respiratory 120
  Scrubbing 147
Wire Feeders 28,29
Wrench, Tank 26
Wrist Supports 137

3M™.....106,108,113,116,117,121

Aa

AlcoTec.....75
Amerex®.....150
Ansell.....131,133,136,141
Arcair®.....52
Avesta Welding.....72,74,79

Bb

Bernard®.....39
Bosch.....84,86,90
Bullard®.....121
Bulwark®.....141
BW Technologies by Honeywell.....123

Cc

COREX®.....83

Dd

DBI/SALA™ (Also see Protecta™).....124,125
DeWalt®.....91
DuPont™.....138

Ee

Eagle.....57
Empire®.....107
Energizer®.....149
Ergodyne®.....137
ESAB®.....68,72,79,81,83

Ff

Fendall.....148
Fibre-Metal® by Honeywell.....109,110,115
Flexovit.....96,101

Hh

Harris.....18,19
Hobart®.....68-70,77,80,82
Honeywell (See BW Technologies, Fendall, Fibre-Metal®, Miller®, North, Swift, Uvex®).....8,10,28,29,112,116,117,120,132,148
Hougen®.....88,89
Hypertherm®.....29

Ii

Industrial Scientific (ISC).....123
Irwin Tools.....107

Jj

Justrite®.....150

Kk

Kimberly-Clark*.....110,113,114
Klein Tools®.....105
Kobelco.....83

Ll

LaCrosse®.....144
Lenox.....86,87
Lincoln Electric®.....28,29,68-70,72,75,77,79,81,83

Mm

McKay.....72,82
MCR Safety.....144
Metabo.....91
Miller®.....28,29,40,112
Miller® by Honeywell.....127
Moldex®.....116
MSA.....109,122,126

Nn

National Safety Apparel (NSA®).....141
Nissen.....60
North by Honeywell.....120
Norton.....84,96,98,100,106

Oo

OccuNomix.....137,142,143
Oetiker.....55

Pp

Protecta™.....124,125
Protective Industrial Products (PIP).....131

Rr

Radnor®.....2-4, 6-9,11-17, 19-21, 25,26, 32,34-38,40-66,68,69, 72-75,79,80,82,84-87,92-95,97,99,100, 102-104,108,110,111,115,116,120, 128-132,136,138-140,142,144,145,149

Ss

Sandvik.....74,79
Showa® Best® Glove.....132,133
Smith Equipment.....4,17-19
SPC (a Brady® Business).....151
Stanco Safety Products.....141
Streamlight®.....149
Sumner®.....107

Tt

Thermal Dynamics®.....29
Tillman™.....130
Tri-Mark.....83
TurboTorch®.....5
Tweco®.....54-56

Uu

Uvex® by Honeywell.....108

Vv

Victor®.....5,10,15,17-19

Ww

Weiler Corporation.....102,103
Western Enterprises.....7,21,25
Wright Tool.....106

Terms & Conditions

Shipping
We ship F.O.B. origin, best way unless otherwise requested. Handling charges are added to your order. Items temporarily back ordered are shipped immediately upon arrival in our Distribution Center.

Terms
Net 30 days to accounts with established credit. Open account is available to qualified customers. We accept MasterCard, VISA and American Express

Sales Tax
We are required by law to add sales tax to orders. Tax is charged in accordance with government regulations. If you are tax exempt, you will be asked to submit a tax exemption certificate.

Local Safety Standards & Regulations
Products sold are designed to meet stated U.S. safety standards and regulations. Because local safety standards and regulations vary significantly, we cannot guarantee that our products meet all applicable requirements in each locality. The purchaser assumes responsibility for compliance with such safety standards and regulations in those localities in which the products will be shipped, sold and used.

Shipping of Hazardous Products
Products classified as HAZMAT, ORMD, or any other material designated as hazardous for shipping, will require additional packaging, handling and shipping charges. Some shipping restrictions may apply. Confirm at time of order.

Damage / Shortage Claims
We take great care in filling, checking and packing your order. On rare occasions, a package may be damaged or lost in transit. If a UPS or common carrier shipment is damaged, please note the damage on the delivery receipt and contact us for assistance with filing a claim. Call for additional details.

Limited Warranty
We make no representation or warranty, expressed or implied, arising out of, or in connection with the sale, manufacture, delivery, or use of any product offered in this catalog or by other means.

Inventory
Not all items represented in this catalog are in stock. In limited situations, some items may need to be purchased in vendor standard packaging.

** Special order, made-to-order and custom imprinted products are not eligible for return, refund or exchange unless defective. Once production has begun on these items, an order cannot be cancelled even if it has not yet shipped*

Additional Information

Blanket Purchase Orders
Your blanket purchase order instructs us to ship your frequently used safety products to you on a regular basis. You just tell us when you need the product shipped, where it will be shipped to, and the quantities needed. One purchase order is all you need to save time and inventory space. Call us for more details.

Customized Quotes
Are you ordering large quantities?
Give us a call and we will be glad to provide a quote for you.

Electronic Fund Transfer
We now accept Electronic Fund Transfer (EFT).
Call us to make arrangements.

Mail / Email / Fax Order Forms
If you prefer to mail , email or fax us your order, we have blank order forms available for you to use. Give us a call and we will be happy to mail, email or fax you one.

Distribution Locations



ALABAMA
CALIFORNIA
COLORADO
CONNECTICUT
GEORGIA
ILLINOIS
MINNESOTA
NORTH CAROLINA
OHIO
OKLAHOMA
OREGON
PENNSYLVANIA
TEXAS
WISCONSIN

Texas Industrial Maintenance Supply Co.
1951 University Business Drive, Suite 121
McKinney, TX 75071
Phone: 214-544-6790 | Fax: 214-544-0780